

RPA054Ra01 10µg Recombinant Insulin Like Growth Factor Binding Protein 3 (IGFBP3) Organism Species: Rattus norvegicus (Rat) Instruction manual

> FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

> > 12th Edition (Revised in Aug, 2016)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression.

Host: E. coli

Residues: Asn137~Pro274

Tags: N-terminal His-Tag

Tissue Specificity: Liver, Blood.

Subcellular Location: Secreted.

Purity: >92%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01% sarcosyl and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.0

Predicted Molecular Mass: 17.2kDa

Accurate Molecular Mass: 21kDa as determined by SDS-PAGE reducing conditions. **Phenomenon explanation:**

The possible reasons that the actual band size differs from the predicted are as follows:

- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

[<u>USAGE</u>]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCE</u>]

NTTE SEEDHNAGSV ESQVVPSTHR VTDSKFHPLH SKMEVIIKGQ ARDSQRYKVD YESQSTDTQN FSSESKRETE YGPCRREMED TLNHLKFLNV LSPRGVHIPN CDKKGFYKKK QCRPSKGRKR GFCWCVDKYG QPLP

[IDENTIFICATION]




Figure 1. Gene Sequencing (Extract)

Coud-Clone Corp.




Figure 2. SDS-PAGE