

RPA524Ra01 50µg Recombinant Tissue Factor (TF) Organism Species: Rattus norvegicus (Rat) *Instruction manual* 

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Coud-Clone Corp.

## [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residuess: Gly30~Glu252

Tags: N-terminal His Tag

Tissue Specificity: Membrane

**Purity:** > 95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.2

Predicted Molecular Mass: 26.9kDa

Accurate Molecular Mass: 29kDa as determined by SDS-PAGE reducing conditions.

#### [<u>USAGE</u>]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [SEQUENCE]

# Contend Cloud-Clone Corp.

G TPPGKAFNLT WISTDFKTIL EWQPKPTNYT YTVQISDRSR NWKYKCTGTT DTECDLTDEI VKDVNWTYEA RVLSVPWRNS THGKETLFGT HGEEPPFTNA RKFLPYRDTK IGQPVIQKYE QGGTKLKVTV KDSFTLVRKN GTFLTLRQVF GNDLGYILTY RKDSSTGRKT NTTHTNEFLI DVEKGVSYCF FAQAVIFSRK TNHKSPESIT KCTEQWKSVL GE

#### [IDENTIFICATION]




Figure. SDS-PAGE

### [<u>IMPORTANT NOTE</u>]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.