

RPA753Hu01 10μg Recombinant Toll Like Receptor 4 (TLR4) Organism Species: *Homo sapiens (Human) Instruction manual*

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression Host: E.coli Residues: Phe326~lle634 **Tags:** N-terminal His Tag Subcellular Location: Membrane **Purity:** > 95% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300. Original Concentration: 200µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 5.8 Predicted Molecular Mass: 42.0kDa Accurate Molecular Mass: 40kDa as determined by SDS-PAGE reducing conditions. [USAGE] Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCE</u>]

Coud-Clone Corp.

FSYNF GWQHLELVNC KFGQFPTLKL KSLKRLTFTS NKGGNAFSEV DLPSLEFLDL SRNGLSFKGC CSQSDFGTTS LKYLDLSFNG VITMSSNFLG LEQLEHLDFQ HSNLKQMSEF SVFLSLRNLI YLDISHTHTR VAFNGIFNGL SSLEVLKMAG NSFQENFLPD IFTELRNLTF LDLSQCQLEQ LSPTAFNSLS SLQVLNMSHN NFFSLDTFPY KCLNSLQVLD YSLNHIMTSK KQELQHFPSS LAFLNLTQND FACTCEHQSF LQWIKDQRQL LVEVERMECA TPSDKQGMPV LSLNITCQMN KTII





Figure. Gene Sequencing (Extract)



[<u>IMPORTANT NOTE</u>]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.