

RPB547Hu01 50µg

Recombinant Indoleamine-2,3-Dioxygenase (IDO)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Ala2~Gly403

Tags: N-terminal His Tag

Subcellular Location: n/a

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.8

Predicted Molecular Mass: 46.7kDa

Accurate Molecular Mass: 43kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```
AHAMENSWT  ISKEYHIDEE  VGFALPNPQE  NLPDFYNDWM  FIAKHLPDLI
ESGQLRERVE  KLNMLSIDHL  TDHKSQRLAR  LVLGCITMAY  VWGKGHGQDVR
KVLPRNIAVP  YCQLSKKLEL  PPILVYADCV  LANWKKKDPN  KPLTYENMDV
LFSFRDGDSC  KGFFLVSLLV  EIAAASAIKV  IPTVFKAMQM  QERDTLLKAL
LEIASCLEKA  LQVFHQIHDH  VNPKAFFSVL  RIYLSGWKGN  PQLSDGLVYE
GFWEDPKEFA  GGSAGQSSVF  QCFDVLLGIQ  QTAGGGHAAQ  FLQDMRRYP
PAHRNFLCSL  ESNPSVREFV  LSKGDAGLRE  AYDACVKALV  SLRSYHLQIV
TKYILIPASQ  QPKENKTSER  PSKLEAKGTG  GTDLMNFKLT  VRSTTEKSL
KEG
```

[IDENTIFICATION]




Figure. Gene Sequencing (Extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.