

RPN011Hu01 10µg
Recombinant Transmembrane Protein 173 (TMEM173)
Organism Species: Homo sapiens (Human)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



## [PROPERTIES]

**Source:** Prokaryotic expression.

Host: E. coli

Residues: Leu159~Pro373
Tags: N-terminal His-Tag
Tissue Specificity: Skin.

Subcellular Location: Cell membrane; Perinuclear region.

**Purity: >98%** 

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; ReporterAssays; Purification;

Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.8

Predicted Molecular Mass: 28.2kDa

Accurate Molecular Mass: 30kDa as determined by SDS-PAGE reducing conditions.

### [USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# [SEQUENCE]

LA WSYYIGYLRL ILPELQARIR TYNQHYNNLL RGAVSQRLYI LLPLDCGVPD NLSMADPNIR FLDKLPQQTG DHAGIKDRVY SNSIYELLEN GQRAGTCVLE YATPLQTLFA MSQYSQAGFS REDRLEQAKL FCRTLEDILA DAPESQNNCR LIAYQEPADD SSFSLSQEVL RHLRQEEKEE VTVGSLKTSA VPSTSTMSQE PELLISGMEK PLP

## [ IDENTIFICATION ]




Figure 1. SDS-PAGE