

Cosmo Bio Co., Ltd.

Inspiration for Life Science

KAL-KO611

For research use only

Anti bovine NR5A1 Polyclonal Antibody

Code No.	KO611		
Category	Development/Differentiation		
Target	NR5A1(SF-1)		
Туре	Polyclonal Antibody		
Concentration	0.25mg/ml		
Contents (Volume)	50µg (200µL/vial)		
Gene ID	281948		
Primary Source	Ensembl:ENSBTAG0000009017		
Synonyms	SF-1		
Immunogen	Recombinant protein of bovine NR5A1 (full length)		
Raised in	Rabbit		
Purification	ProteinG		
Source	Rabbit Serum		
Cross Reactivity	Reactivity mouse		
Label	Unlabeled		
Buffer	PBS [containing 2% Block Ace as a stabilizer, 0.1% Proclin as a bacteriostat]		
Storage	Store below -20°C. Once thawed, store at 4°C. Repeated freeze-thaw cycles should be avoided.		
Application	ELISA, WB, IHC, ICC, IP,IF		

	Recomm	ended Ant	ibody Dil	utions	IF			
	ELISA	WB	IHC	ICC	Sample:			
	1.0	1.0-5.0	1.0-2.0	1.0-5.0	mouse testis			
	IP	FCM	IF	Neutralization				
	5.0-10	Not Tested	1.0-5.0	Not Tested				
	(µg/mL)							
	Preparation of antibodies Dr. Ken-ichirou Morohashi Biology of sex differences Department of Molecular Biology Faculty of Medical Sciences, Kyushu University, Fukuoka, JAPAN							
U	niProt Sui	mmary	to the the AM the co regula	Ad4 site found in /IH/Muellerian in nsensus sequen	r. Seems to be essential for sexual differentiation and formation of the primary steroidogenic tissues. Binds the promoter region of steroidogenic P450 genes such as CYP11A, CYP11B and CYP21B. Also regulates ibiting substance gene as well as the AHCH and STAR genes. 5'-YCAAGGYC-3' and 5'-RRAGGTCA-3' are see for the recognition by NRSA1. The SFPQ-NONO-NRSA1 complex binds to the CYP17 promoter and MP-dependent transcriptional avtivity. Binds phospholipids with a phosphatidylinositol (PI) headgroup, in I PI(3,4,5)P3.			
R	eference		1) Nomu	ra M, et al: J. Bio	chem(1998) 124 : 217-224*			

Manufactured by

🖓 Trans Genic Inc.

