

ZNF485 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11635

Specification

ZNF485 antibody - N-terminal region - Product Information

| | |
|-------------------|--|
| Application | WB |
| Primary Accession | Q8NCK3 |
| Other Accession | NM_145312 , NP_660355 |
| Reactivity | Human, Mouse, Rat, Rabbit, Dog |
| Predicted Host | Human, Dog |
| Clonality | Rabbit |
| Calculated MW | Polyclonal 46kDa KDa |

ZNF485 antibody - N-terminal region - Additional Information

Gene ID 220992

Other Names

Zinc finger protein 485, ZNF485

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF485 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


ZNF485 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF485 antibody - N-terminal region - Protein Information

Name ZNF485

Function

May be involved in transcriptional



ZNF485 antibody - N-terminal region - References

Deloukas,P., (2004) Nature 429 (6990), 375-381
Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

regulation.

Cellular Location

Nucleus.

ZNF485 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)