

**UQCC Antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI15323**

**Specification**

**UQCC Antibody - N-terminal region - Product Information**

Application	<b>WB</b>
Primary Accession	<a href="#">B1AKV5</a>
Other Accession	<a href="#">NM_001184977</a> , <a href="#">NP_001171906</a>
Reactivity	<b>Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog</b>
Predicted	<b>Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog</b>
Host	<b>Rabbit</b>
Clonality	<b>Polyclonal</b>
Calculated MW	<b>27kDa KDa</b>

**UQCC Antibody - N-terminal region - Additional Information**

Alias Symbol	<b>BFZB, C20orf44, CBP3, MGC104353, MGC141902</b>
--------------	---

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.


**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-UQCC antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

UQCC Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**UQCC Antibody - N-terminal region - Protein Information**



## **UQCC Antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)