

ANKRD40 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15712

Specification

ANKRD40 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q6AI12
Other Accession	NM_052855 , NP_443087
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	40kDa KDa

ANKRD40 Antibody - C-terminal region - Additional Information

Gene ID 91369

Other Names

Ankyrin repeat domain-containing protein 40, ANKRD40

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.


Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ANKRD40 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ANKRD40 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ANKRD40 Antibody - C-terminal region - Protein



ANKRD40 Antibody - C-terminal region - References

- Bechtel S., et al. BMC Genomics 8:399-399(2007).
Bienvenut W.V., et al. Submitted (OCT-2009) to UniProtKB.
Bienvenut W.V., et al. Mol. Cell. Proteomics 11:M111.015131-M111.015131(2012).
Van Damme P., et al. Proc. Natl. Acad. Sci. U.S.A. 109:12449-12454(2012).

Information**Name** ANKRD40**ANKRD40 Antibody - C-terminal region -
Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)