

## **Mouse Monoclonal Antibody to TTF1**

Purified Mouse Monoclonal Antibody Catalog # AO2367a

## **Specification**

## Mouse Monoclonal Antibody to TTF1 - Product Information

Application E, WB, FC
Primary Accession
Reactivity Human
Host Mouse
Clonality Monoclonal
Isotype Mouse IgG1
Calculated MW 103kDa KDa

**Description** 

This gene encodes a transcription termination factor that is localized to the nucleolus and plays a critical role in ribosomal gene transcription. The encoded protein mediates the termination of RNA polymerase I transcription by binding to Sal box terminator elements downstream of pre-rRNA coding regions. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. This gene shares the symbol/alias 'TFF1' with another gene, NK2 homeobox 1, also known as thyroid transcription factor 1, which plays a role in the regulation of thyroid-specific gene expression.;

## **Immunogen**

Purified recombinant fragment of human TTF1 (AA: 1-150) expressed in E. Coli.

#### **Formulation**

Purified antibody in PBS with 0.05% sodium azide

## **Application Note**


ELISA: 1/10000; WB: 1/500 - 1/2000; FCM:

1/200 - 1/400


Mouse Monoclonal Antibody to TTF1 - Additional

**Gene ID** 7270

Other Names TTF-1; TTF-I



Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)



Western blot analysis using TTF1 mAb against human TTF1 (AA: 1-150) recombinant protein. (Expected MW is 43.5 kDa)



## **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

Mouse Monoclonal Antibody to TTF1 is for research use only and not for use in diagnostic or therapeutic procedures.

Mouse Monoclonal Antibody to TTF1 - Protein Information

## Name TTF1

## **Function**

Multifunctional nucleolar protein that terminates ribosomal gene transcription, mediates replication fork arrest and regulates RNA polymerase I transcription on chromatin. Plays a dual role in rDNA regulation, being involved in both activation and silencing of rDNA transcription. Interaction with BAZ2A/TIP5 recovers DNA-binding activity.


## **Cellular Location**

Nucleus. Nucleus, nucleolus.


# Mouse Monoclonal Antibody to TTF1 - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture



Western blot analysis using TTF1 mAb against HEK293 (1) and TTF1 (AA: 1-150)-hlgGFc transfected HEK293 (2) cell lysate.



Flow cytometric analysis of Hela cells using TTF1 mouse mAb (green) and negative control (red).

## Mouse Monoclonal Antibody to TTF1 - References

1.Tumour Biol. 2015 Sep;36(10):8085-92.; 2.Chest. 2013 Oct;144(4):1199-206.;