

# PRSS2 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP13719C

# **Specification**

#### PRSS2 Antibody (Center) - Product Information

Application WB, IHC-P,E **Primary Accession** P07478 Other Accession NP 002761.1 Reactivity Human Host Rabbit Clonality **Polyclonal** Isotype Rabbit Ig Calculated MW 26488 Antigen Region 80-108

PRSS2 Antibody (Center) - Additional Information

### **Gene ID 5645**

### **Other Names**

Trypsin-2, Anionic trypsinogen, Serine protease 2, Trypsin II, PRSS2, TRY2, TRYP2

# **Target/Specificity**

This PRSS2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 80-108 amino acids from the Central region of human PRSS2.

### **Dilution**

WB~~1:1000 IHC-P~~1:10~50

### **Format**


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

## Storage


Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

PRSS2 Antibody (Center) is for research use only and not for use in diagnostic or




PRSS2 Antibody (Center) (Cat. #AP13719c) western blot analysis in NCI-H292 cell line lysates (35ug/lane). This demonstrates the PRSS2 antibody detected the PRSS2 protein (arrow).



PRSS2 Antibody (Center)

(AP13719c)immunohistochemistry analysis in formalin fixed and paraffin embedded human pancreas tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use





Tel: 858.875.1900 Fax: 858.622.0609

therapeutic procedures.

PRSS2 Antibody (Center) - Protein Information

Name PRSS2

Synonyms TRY2, TRYP2

#### **Function**

In the ileum, may be involved in defensin processing, including DEFA5.

**Cellular Location** 

Secreted, extracellular space.

## **Tissue Location**

Expressed in Paneth cells, at the base of small intestinal crypts.

# PRSS2 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cvtometv
- Cell Culture

of PRSS2 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

# PRSS2 Antibody (Center) - Background

This gene encodes a trypsinogen, which is a member of the trypsin family of serine proteases. This enzyme is secreted by the pancreas and cleaved to its active form in the small intestine. It

is active on peptide linkages involving the carboxyl group of

lysine or arginine. This gene and several other trypsinogen genes

are localized to the T cell receptor beta locus on chromosome 7.

# PRSS2 Antibody (Center) - References

Felderbauer, P., et al. Exp. Clin. Endocrinol. Diabetes (2010) In press: Gao, I., et al. Oncol. Rep. 23(6):1683-1692(2010) Cevik, Y., et al. Ulus Travma Acil Cerrahi Derg 16(2):125-129(2010) Andersen, A.M., et al. Pancreas 39(1):26-30(2010) Johansen, D., et al. Pancreatology 10 (2-3),

229-237 (2010):