

## **IL9R Antibody (Center)**

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP14364c

## **Specification**

#### **IL9R Antibody (Center) - Product Information**

Application WB, IHC-P,E Primary Accession Q01113 NP 002177.2 Other Accession Reactivity Human Host Rabbit Clonality **Polyclonal** Isotype Rabbit Ig Antigen Region 170-199

IL9R Antibody (Center) - Additional Information

#### **Gene ID 3581**

### **Other Names**

Interleukin-9 receptor, IL-9 receptor, IL-9R, CD129, IL9R

#### Target/Specificity

This IL9R antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 170-199 amino acids from the Central region of human IL9R.

# **Dilution**

WB~~1:1000 IHC-P~~1:10~50

#### **Format**


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

## **Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.


## **Precautions**

IL9R Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.



Anti-IL9R Antibody (Center) at 1:1000 dilution + Jurkat whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 57 kDa

Blocking/Dilution buffer: 5% NFDM/TBST.



# IL9R Antibody (Center) (AP14364c)immunohistochemistry analysis in formalin fixed and paraffin embedded human placenta tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use



# IL9R Antibody (Center) - Protein Information

## Name IL9R

#### **Function**

This is a receptor for interleukin-9.

#### **Cellular Location**

Cell membrane; Single-pass type I membrane protein. Secreted

## **IL9R Antibody (Center) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

of IL9R Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

## **IL9R Antibody (Center) - Background**

The protein encoded by this gene is a cytokine receptor that specifically mediates the biological effects of interleukin 9 (IL9). The functional IL9 receptor complex requires this protein as well as the interleukin 2 receptor, gamma (IL2RG), a common gamma subunit shared by the receptors of many different cytokines. The ligand binding of this receptor leads to the activation of various JAK kinases and STAT proteins, which connect to different biologic responses. This gene is located at the pseudoautosomal regions of X and Y chromosomes. Genetic studies suggested an association of this gene with the development of asthma. Multiple pseudogenes on chromosome 9, 10, 16, and 18 have been described. Alternatively spliced transcript variants have been found for this gene.

# **IL9R Antibody (Center) - References**

Romero, R., et al. Am. J. Obstet. Gynecol. 203 (4), 361 (2010):
McCanlies, E.C., et al. J. Occup. Environ. Med. 52(7):680-684(2010)
Schuurhof, A., et al. Pediatr. Pulmonol. 45(6):608-613(2010)
Romero, R., et al. Am. J. Obstet. Gynecol. 202 (5), 431 (2010):
Yokoyama, K., et al. Nephron Clin Pract 115 (4), C237-C243 (2010):