

Tapasin Related Protein Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP57012

Specification

**Tapasin Related Protein Polyclonal Antibody -
Product Information**

Application	IHC-P, IHC-F, IF, ICC
Primary Accession	Q9BX59
Host	Rabbit
Clonality	Polyclonal
Calculated MW	50183

**Tapasin Related Protein Polyclonal Antibody -
Additional Information**

Gene ID 55080

Other Names

Tapasin-related protein, TAPASIN-R,
TAP-binding protein-like, TAP-binding
protein-related protein, TAPBP-R,
Tapasin-like, TAPBPL

Format

0.01M TBS(pH7.4) with 1% BSA, 0.09%
(W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated
freeze/thaw cycles. When reconstituted in
sterile pH 7.4 0.01M PBS or diluent of
antibody the antibody is stable for at least
two weeks at 2-4 °C.

**Tapasin Related Protein Polyclonal Antibody -
Protein Information**

Name TAPBPL

Function

Component of the antigen processing and
presentation pathway, which binds to MHC
class I coupled with
beta2-microglobulin/B2M. Association
between TAPBPR and MHC class I occurs in
the absence of a functional peptide-loading
complex (PLC).

Cellular Location

Cell membrane; Single-pass type I membrane protein Endoplasmic reticulum membrane; Single- pass type I membrane protein. Microsome membrane; Single-pass type I membrane protein. Golgi apparatus membrane; Single-pass type I membrane protein. Note=Mainly found in endoplasmic reticulum but a minority is found on the cell surface (PubMed:11920573)

Tapasin Related Protein Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)