

# **Dlx-2 Polyclonal Antibody**

Catalog # AP74264

# **Specification**

### **Dlx-2 Polyclonal Antibody - Product Information**

Application WB
Primary Accession Q07687

Reactivity Human, Mouse,

Rat

Host Rabbit Clonality Polyclonal

Dlx-2 Polyclonal Antibody - Additional

Information

**Gene ID 1746** 

**Other Names** 

Homeobox protein DLX-2

**Dilution** 

WB~~WB 1:500-2000, ELISA

1:10000-20000

**Format** 

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

**Storage Conditions** 

-20°C

### **Dlx-2 Polyclonal Antibody - Protein Information**

#### Name DLX2


### **Function**


Acts as a transcriptional activator. Plays a role in terminal differentiation of interneurons, such as amacrine and bipolar cells in the developing retina. Likely to play a regulatory role in the development of the ventral forebrain. May play a role in craniofacial patterning and morphogenesis.

**Cellular Location** 

Nucleus.


### **DIx-2 Polyclonal Antibody - Protocols**





# **Dlx-2 Polyclonal Antibody - Background**

Acts as a transcriptional activator. Plays a role in terminal differentiation of interneurons, such as amacrine and bipolar cells in the developing retina. Likely to play a regulatory role in the development of the ventral forebrain. May play a role in craniofacial



Tel: 858.875.1900 Fax: 858.622.0609



Provided below are standard protocols that you may find useful for product applications.

patterning and morphogenesis.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture