

SIGLEC15 Antibody
Catalog # ASC12190**Specification****SIGLEC15 Antibody - Product Information**

Application	WB, E
Primary Accession	O6ZMC9
Other Accession	NP_998767
Reactivity	Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Calculated MW	Predicted: 36kD
	Observed: 34-36kD KDa

SIGLEC15 Antibody - Additional Information

Gene ID	284266
Alias Symbol	SIGLEC15
Other Names	
SIGLEC15 Antibody: CD33L3, HsT1361, SIGLEC-15, CD33L3, Sialic acid-binding Ig-like lectin 15, CD33 antigen-like 3, Siglec-15	

Reconstitution & Storage

SIGLEC15 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Precautions

SIGLEC15 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

SIGLEC15 Antibody - Protein Information**Name** SIGLEC15**Synonyms** CD33L3**Function**

Binds sialylated glycoproteins.

SIGLEC15 Antibody - Background

SIGLEC15 Antibody: Siglecs are vertebrate cell-surface lectins that recognize sialylated glycans and are involved in many physiological processes, such as glycoprotein turnover, cellular trafficking, and pathogen recognition. Most Siglecs are expressed on cells of the immune system. SIGLEC15 is a type-I transmembrane protein consisting of two immunoglobulin (Ig)-like domains, a transmembrane domain containing a lysine residue, and a short cytoplasmic tail. SIGLEC15 can interact with the activating adaptor molecules DAP12/10. Its activating signaling potential and unique preference for glycan recognition implies that SIGLEC15 may be involved in the immune surveillance of tumors and probably plays a conserved, regulatory role in the immune system of vertebrates.

SIGLEC15 Antibody - References

Crocker and Redelinghuys. Biochem. Soc. Trans. 2008; 36:1467-71. Angata et al. Glycobiology 2007; 17:838-46. Hiruma et al. Biochem. Biophys. Res. Commun. 2011; 409:424-9.

Cellular Location

Membrane; Single-pass type I membrane protein.

Tissue Location

Expressed in macrophage and/or dendritic cells of spleen and lymph nodes

SIGLEC15 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)