

GluA1/GluR1 Glutamate Receptor Antibody
GluA1/GluR1 Glutamate Receptor Antibody, Clone S355-1
Catalog # ASM10274

Specification

**GluA1/GluR1 Glutamate Receptor Antibody -
Product Information**

Application	ICC/IF, WB
Primary Accession	P19490
Other Accession	NP_113796
Host	Mouse
Isotype	IgG1
Reactivity	Human, Mouse, Rat
Clonality	Monoclonal

Description

Mouse Anti-Rat GluA1/GluR1 Glutamate Receptor Monoclonal IgG1

Target/Specificity

Detects ~100kDa. Does not cross-react with GluR2.

Other Names


AMPA 1 Antibody, AMPA selective glutamate receptor 1 Antibody, Glutamate receptor 1 Antibody, GluA1 Antibody, GLUH 1 Antibody, GluR K1 Antibody, GluRK1 Antibody, Glr-1 Antibody, Glur-1 Antibody, HIPA Antibody, Glur1 Antibody, GluR-A Antibody, AI853806 Antibody, 2900051M01Rik Antibody, GluRA Antibody, Glr1 Antibody, MGC13325 Antibody, GLUH1 Antibody, GluA1 Antibody, GLUR1 Antibody, HBGR1 Antibody, GLURA Antibody, gluR-Antibody, GluA1 Antibody, Glutamate receptor ionotropic AMPA 1 Antibody, Glutamate receptor ionotropic Antibody, Gria 1 Antibody, HBGR1 Antibody, OTTHUMP00000160643 Antibody, OTTHUMP00000165781 Antibody, OTTHUMP00000224241 Antibody, OTTHUMP00000224242 Antibody, OTTHUMP00000224243 Antibody

Immunogen

Fusion protein amino acids 1-389 (extracellular N-terminus) of rat GluA1/GluR1

Purification

Protein G Purified



Immunocytochemistry/Immunofluorescence analysis using Mouse Anti-GluA1/GluR1 Glutamate Receptor Monoclonal Antibody, Clone S355-1 (ASM10274). Tissue: Neuroblastoma cell line (SK-N-BE). Species: Human. Fixation: 4% Formaldehyde for 15 min at RT. Primary Antibody: Mouse Anti-GluA1/GluR1 Glutamate Receptor Monoclonal Antibody (ASM10274) at 1:100 for 60 min at RT. Secondary Antibody: Goat Anti-Mouse ATTO 488 at 1:100 for 60 min at RT. Counterstain: Phalloidin Texas Red F-Actin stain; DAPI (blue) nuclear stain at 1:1000, 1:5000 for 60min RT, 5min RT. Localization: Cell Membrane, Cell Junction. Magnification: 60X. (A) DAPI (blue) nuclear stain (B) Phalloidin Texas Red F-Actin stain (C) GluA1/GluR1 Glutamate Receptor Antibody (D) Composite.

Storage **-20°C**
Storage Buffer
PBS pH 7.4, 50% glycerol, 0.1% sodium azide

Shipping **Blue Ice or 4°C**
Temperature


Certificate of Analysis
1 µg/ml of SMC-440 was sufficient for detection of GluA1/GluR1 in 20 µg of mouse brain membrane lysate and assayed by colorimetric immunoblot analysis using goat anti-mouse IgG:HRP as the secondary antibody.

Cellular Localization
Cell Membrane | Endoplasmic Reticulum | Cell Junction

GluA1/GluR1 Glutamate Receptor Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)



GluA1/GluR1 Glutamate Receptor Antibody - Background

Glutamic acid is the major excitatory neurotransmitter in the mammalian central nervous system. Glutamate receptors are classified on the basis of their activation by different agonists (1-3). GluR1, human glutamate receptor type 1, is an integral membrane protein that is widely expressed in the human brain. The postsynaptic actions of glutamic acid are mediated by a variety of receptors that are named according to their selective agonists. GluR1 is known to bind a kainate subtype of agonist. It has been found that malfunctioning of the glutamatergic system may result in certain brain disorders and neurodegeneration (3).

GluA1/GluR1 Glutamate Receptor Antibody - References

1. Potier M.C., Spillantini M.G., Carter N.P. (1992) DNA Seq. 2(4): 211-218.
2. Puckett, C., et al. (1991) Proc. Nat. Acad.

Sci. USA 88(17): 7557-7561.
3. Gregor, P., et al. (1993) Proc. Nat. Acad. Sci.
USA 90: 3053-3057.