

#### **BVR Antibody**

Catalog # ASM10473

# **Specification**

## **BVR Antibody - Product Information**

Application IHC, WB
Primary Accession P46844
Other Accession NP\_446302.1

Host Rabbit

Reactivity Human, Mouse,

Rat

Clonality Polyclonal

Format APC

Description

Rabbit Anti-Rat BVR Polyclonal

Target/Specificity
Detects ~36kDa.

#### **Other Names**

Biliverdin Reductase Antibody, Biliverdin IX alpha reductase Antibody, Biliverdin reductase A Antibody, Biliverdin-IX alpha-reductase Antibody, BLVR A Antibody, BLVR Antibody, BLVR Antibody, BVR A Antibody, BVRA Antibody, Zinc metalloprotein Antibody, zinc-metalloprotein Antibody

#### **Immunogen**

Rat native full-length BVR purified from liver tissue

# **Purification**Protein A Purified

Storage -20°C

**Storage Buffer** PBS pH7.4, 50% glycerol, 0.09% sodium

azide


Shipping Blue Ice or 4°C

Temperature


**Certificate of Analysis** 

 $2~\mu g/ml$  of SPC-213 was sufficient for detection of BVR in 20  $\mu g$  of mixed human cell line lysate by colorimetric immunoblot analysis using Goat anti-rabbit IgG:HRP as the secondary antibody.


**Cellular Localization** Cytoplasm



Immunohistochemistry analysis using Rabbit Anti-BVR Polyclonal Antibody (ASM10473). Tissue: Ischemic brain. Species: Rat. Primary Antibody: Rabbit Anti-BVR Polyclonal Antibody (ASM10473) at 1:1000. C = ischemic core, P = ischemic penumbra.



Western blot analysis of Human, Rat Brain cell lysates showing detection of BVR protein using Rabbit Anti-BVR Polyclonal Antibody (ASM10473). Lane 1: Rat Brain. Lane 2: Human Brain lysates. Load: 10 µg. Primary Antibody: Rabbit Anti-BVR Polyclonal Antibody (ASM10473) at 1:1000.





# **BVR Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cvtometv
- Cell Culture

# **BVR Antibody - Background**

Biliverdin Reductase (BVR) is a cytoplasmic enzyme that catalyzes the conversion of biliverdin to bilirubin by converting a double bond between the second and third pyrrole ring into a single bond (1). It is ubiqutiously expressed in all tissues- it occurs in cells and brain regiuons that already display HO-1 and HO-2, but also in regions and cell types with potential to induce stress proteins. It is unique among all enzymes in having two pH optima, using a different cofactor at each pH range, NADH at pH7.0 and NADPH at pH8.7 (2). It is not inactivated by heat shock, and have shown to abate inflammation, oxidative stress and apoptosis (3).

## **BVR Antibody - References**

- 1. Singleton J.W., Laster L. (1965). J Biol Chem. 240: 4780-4789.
- 2. Kutty R.K., Maines M.D. (1981) J Biol Chem. 256: 3956-3962.
- 3. Mishra M., Ndisand J.F. (2014) Curr Pharm Des. 20(9): 1370-1391.