



Donkey IgG F(ab')2 Rhodamine

Catalog # ASR1115

Specification

Donkey IgG F(ab')2 Rhodamine - Product Information

Description DONKEY IgG

F(ab')2 fragment Rhodamine conjugated Rhodamine

(TRITC)

Physical State Host Isotype Buffer

Conjugate

Lyophilized IgG F(ab')2 0.02 M Potassium Phosphate, 0.15

M Sodium Chloride, pH 7.2

Restore with

Species of Origin Reconstitution

Donkey 1.0 mL

Volume

Reconstitution Buffer

deionized water (or equivalent) 10 mg/mL Bovine

Stabilizer

Serum Albumin

(BSA) -

Immunoglobulin and Protease

free

Preservative

0.01% (w/v)
Sodium Azide

Donkey IgG F(ab')2 Rhodamine - Additional Information

Shipping Condition Ambient

Purity

This product was prepared from normal serum by delipidation, salt fractionation, ion exchange chromatography followed by pepsin digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Donkey IgG, anti-Donkey IgG F(ab')2 and anti-Donkey Serum. No reaction was observed against

Donkey IgG F(ab')2 Rhodamine - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.



anti-Donkey IgG F(c) or anti-Pepsin.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Donkey IgG F(ab')2 Rhodamine - Protein Information

Donkey IgG F(ab')2 Rhodamine - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture