

# Anti-Goat IgG F(ab')2 (Biotin Conjugated) Secondary Antibody

Rabbit Polyclonal, Biotin Catalog # ASR2032

### **Specification**

Anti-Goat IgG F(ab')2 (Biotin Conjugated) Secondary Antibody - Product Information

Description Anti-GOAT IgG

F(ab')2 (RABBIT)

Antibody Biotin Conjugated

Host Rabbit
Conjugate Biotin
Target Species Goat
Clonality Polyclonal
Application ,1,10,15,

Application Note **ELISA 1:20,000-1:** 

100,000; Western Blot 1:2,000-1:10, 000; Immunochem

istry

1:1,000-1:5,000

Physical State Lyophilized

Host Isotype IgG

Target Isotype IgG F(ab')2
Buffer 0.02 M

Potassium Phosphate, 0.15

M Codium

M Sodium

Chloride, pH 7.2

Immunogen Goat IgG

F(ab')2 fragment 1.0 mL

Reconstitution

Volume

Stabilizer

Reconstitution Restore with Buffer deionized water

(or equivalent)
10 mg/mL Bovine

Serum Albumin

Serum Album

(BSA) -


Immunoglobulin and Protease

free

Preservative 0.01% (w/v)

**Sodium Azide** 

Anti-Goat IgG F(ab')2 (Biotin Conjugated) Secondary Antibody - Additional Information





## **Shipping Condition** Ambient

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Goat IgG, Goat IgG F(ab')2 and Goat Serum. No reaction was observed against Goat IgG F(c).

### Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Goat IgG F(ab')2 (Biotin Conjugated) Secondary Antibody - Protein Information

# Anti-Goat IgG F(ab')2 (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture