

Anti-Horse IgG F(c) (Biotin Conjugated) Secondary Antibody

Goat Polyclonal, Biotin Catalog # ASR2335

Specification

Anti-Horse IgG F(c) (Biotin Conjugated) **Secondary Antibody - Product Information**

Description **Anti-HORSE IgG**

> F(c) (GOAT) **Antibody Biotin** Conjugated

Host Goat Conjugate **Biotin Target Species** Horse Clonality **Polyclonal** Application ,1,10,15,

Application Note ELISA 1:20,000-1:

100,000;Western Blot 1:2,000-1:10, 000;Immunochem

istry

1:1,000-1:5,000

Physical State Lyophilized

Host Isotype IqG Target Isotype IgG F(c)

Buffer 0.01 M Sodium

Phosphate, 0.15

M Sodium

Chloride, pH 7.2 Horse IgG F(c)

Immunogen

fragment

Reconstitution

Volume

1.0 mL

Reconstitution

Buffer deionized water

(or equivalent)

Restore with

Stabilizer 10 mg/mL Bovine

Serum Albumin

(BSA) -

Immunoglobulin and Protease


free

Preservative 0.01% (w/v)

Thimerosal

Anti-Horse IgG F(c) (Biotin Conjugated) **Secondary Antibody - Additional Information**

Shipping Condition Ambient





Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Goat Serum, Horse IgG, Horse IgG F(c) and Horse Serum. No reaction was observed against Horse IgG F(ab')2.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Horse IgG F(c) (Biotin Conjugated) Secondary Antibody - Protein Information

Anti-Horse IgG F(c) (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture