

SOX2 Antibody (C-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AW5343

Specification

SOX2 Antibody (C-term) - Product Information

Application	WB,E
Primary Accession	P48431
Other Accession	P48430 , P54231
Reactivity	Human, Mouse
Predicted	Chicken, Sheep
Host	Rabbit
Clonality	Polyclonal
Calculated MW	H=34;M=34 KDa
Isotype	Rabbit Ig
Antigen Source	HUMAN

SOX2 Antibody (C-term) - Additional Information

Gene ID 6657

Antigen Region
282-316

Other Names
Transcription factor SOX-2, SOX2


Dilution
WB~~1:1000

Target/Specificity
This SOX2 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 282-316 amino acids from the C-terminal region of human SOX2.

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions



Western blot analysis of lysates from F9,NCCIT cell line (from left to right), using SOX2 Antibody (C-term)(Cat. #AW5343). AW5343 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody.Lysates at 20ug per lane.

SOX2 Antibody (C-term) - Background

Transcription factor that forms a trimeric complex with OCT4 on DNA and controls the expression of a number of genes involved in embryonic development such as YES1, FGF4, UTF1 and ZFP206 (By similarity). Critical for early embryogenesis and for embryonic stem cell pluripotency. May function as a switch in neuronal development. Downstream SRRT target that mediates the promotion of neural stem cell self-renewal (By similarity). Keeps neural cells undifferentiated by counteracting the activity of proneural proteins and suppresses neuronal differentiation (By similarity).

SOX2 Antibody (C-term) - References

Stevanovic M.,et al.Mamm. Genome

SOX2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

SOX2 Antibody (C-term) - Protein Information

Name SOX2

Function

Transcription factor that forms a trimeric complex with OCT4 on DNA and controls the expression of a number of genes involved in embryonic development such as YES1, FGF4, UTF1 and ZFP206 (By similarity). Binds to the proximal enhancer region of NANOG (By similarity). Critical for early embryogenesis and for embryonic stem cell pluripotency (PubMed:18035408). Downstream SRRT target that mediates the promotion of neural stem cell self-renewal (By similarity). Keeps neural cells undifferentiated by counteracting the activity of proneural proteins and suppresses neuronal differentiation (By similarity). May function as a switch in neuronal development (By similarity).

Cellular Location

Nucleus {ECO:0000250|UniProtKB:P48432}.

5:640-642(1994).

Sadler L.A.,et al.Submitted (DEC-1992) to the EMBL/GenBank/DDBJ databases.

Fantes J.,et al.Nat. Genet. 33:461-463(2003).

Takahashi K.,et al.Cell 131:861-872(2007).

Rigbolt K.T.,et al.Sci. Signal. 4:RS3-RS3(2011).

SOX2 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)