

LIPC Antibody (Center) Blocking peptide
Synthetic peptide
Catalog # BP12283c**Specification****LIPC Antibody (Center) Blocking peptide - Product Information**Primary Accession [P11150](#)**LIPC Antibody (Center) Blocking peptide - Additional Information**

Gene ID 3990

Other Names

Hepatic triacylglycerol lipase, HL, Hepatic lipase, Lipase member C, LIPC, HTGL

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

LIPC Antibody (Center) Blocking peptide - Protein Information

Name LIPC

Synonyms HTGL

Function

Catalyzes the hydrolysis of triglycerides and phospholipids present in circulating plasma lipoproteins, including chylomicrons, intermediate density lipoproteins (IDL), low density lipoproteins (LDL) of large size and high density lipoproteins (HDL), releasing free fatty acids (FFA) and smaller lipoprotein particles (PubMed:<a href="http

LIPC Antibody (Center) Blocking peptide - Background

LIPC encodes hepatic triglyceride lipase, which is expressed in liver. LIPC has the dual functions of triglyceride hydrolase and ligand/bridging factor for receptor-mediated lipoprotein uptake.

LIPC Antibody (Center) Blocking peptide - ReferencesReynolds, R., et al. Ophthalmology 117(10):1989-1995(2010) Jablonski, K.A., et al. Diabetes 59(10):2672-2681(2010) Hu, M., et al. Pharmacogenet. Genomics 20(10):634-637(2010) Romero, R., et al. Am. J. Obstet. Gynecol. 203 (4), 361 (2010) :Kashani Farid, M.A., et al. Lipids Health Dis 9, 96 (2010)
:

://www.uniprot.org/citations/7592706" target="_blank">7592706, PubMed:8798474, PubMed:12032167, PubMed:26193433). Also exhibits lysophospholipase activity (By similarity). Can hydrolyze both neutral lipid and phospholipid substrates but shows a greater binding affinity for neutral lipid substrates than phospholipid substrates (By similarity). In native LDL, preferentially hydrolyzes the phosphatidylcholine species containing polyunsaturated fatty acids at sn-2 position (PubMed:26193433).

Cellular Location

Secreted.

LIPC Antibody (Center) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)