

# **Bmf BH3 Domain Antibody Blocking Peptide**

Synthetic peptide Catalog # BP1309a

### Specification

Bmf BH3 Domain Antibody Blocking Peptide -Product Information

Primary Accession <u>Q96LC9</u>

Bmf BH3 Domain Antibody Blocking Peptide -Additional Information

Gene ID 90427

Other Names Bcl-2-modifying factor, BMF

### **Target/Specificity**

The synthetic peptide sequence used to generate the antibody <a href=/product/pr oducts/AP1309a>AP1309a</a> was selected from the region of human Bmf BH3 Domain. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

#### Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

### Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

Bmf BH3 Domain Antibody Blocking Peptide -Protein Information

### Name BMF

**Function** May play a role in apoptosis. Isoform 1

### **Bmf BH3 Domain Antibody Blocking Peptide - Background**

Bmf belongs to the BCL2 protein family. BCL2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. This protein contains a single BCL2 homology domain 3 (BH3), and has been shown to bind BCL2 proteins and function as an apoptotic activator. This protein is found to be sequestered to myosin V motors by its association with dynein light chain 2, which may be important for sensing intracellular damage and triggering apoptosis.

### **Bmf BH3 Domain Antibody Blocking Peptide - References**

Puthalakath, H., et al., Science 293(5536):1829-1832 (2001).



seems to be the main initiator.

Tissue Location

Isoform 1 is mainly expressed in B-lymphoid cells. Isoform 2 and isoform 3 are mainly expressed in B-CLL and normal B- cells.

## Bmf BH3 Domain Antibody Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

Blocking Peptides