

AEBP2 Antibody (C-term) Blocking Peptide
Synthetic peptide
Catalog # BP18656b**Specification****AEBP2 Antibody (C-term) Blocking Peptide - Product Information**Primary Accession [O6ZN18](#)**AEBP2 Antibody (C-term) Blocking Peptide - Additional Information**

Gene ID 121536

Other Names

Zinc finger protein AEBP2, Adipocyte enhancer-binding protein 2, AE-binding protein 2, AEBP2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

AEBP2 Antibody (C-term) Blocking Peptide - Protein Information

Name AEBP2

Function

Acts as an accessory subunit for the core Polycomb repressive complex 2 (PRC2), which mediates histone H3K27 (H3K27me3) trimethylation on chromatin leading to transcriptional repression of the affected target gene (PubMed:15225548, PubMed:<a href="http://www.uniprot.org/ci

AEBP2 Antibody (C-term) Blocking Peptide - Background

DNA-binding transcriptional repressor. AEBP2 may interact with and stimulate the activity of the PRC2 complex, which methylates 'Lys-9' and 'Lys-27' residues of histone H3.

AEBP2 Antibody (C-term) Blocking Peptide - References

Cao, R., et al. Mol. Cell 15(1):57-67(2004)He, G.P., et al. J. Biol. Chem. 274(21):14678-14684(1999)

tations/31959557"
target="_blank">31959557,
PubMed:<a href="http://www.uniprot.org/ci
tations/29499137"
target="_blank">29499137). Plays a
role in nucleosome localization of the PRC2
complex (PubMed:<a href="http://www.uni
prot.org/citations/29499137"
target="_blank">29499137).

Cellular Location

Nucleus. Note=Localizes to chromatin as
part of the PRC2 complex

AEBP2 Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you
may find useful for product applications.

- [Blocking Peptides](#)