

MTHFR Blocking Peptide (Center)

Synthetic peptide
Catalog # BP19824C

Specification

MTHFR Blocking Peptide (Center) - Product Information

Primary Accession [P42898](#)
Other Accession [Q9WU20](#), [Q60HE5](#),
[Q5I598](#),
[NP_005948.3](#)

MTHFR Blocking Peptide (Center) - Additional Information

Gene ID 4524

Other Names

Methylenetetrahydrofolate reductase,
MTHFR

Target/Specificity

The synthetic peptide sequence is selected from aa 281-292 of HUMAN MTHFR

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

MTHFR Blocking Peptide (Center) - Protein Information

Name MTHFR

Function

Catalyzes the conversion of 5,10-methylenetetrahydrofolate to 5-methyltetrahydrofolate, a co-substrate for

MTHFR Blocking Peptide (Center) - Background

The protein encoded by this gene catalyzes the conversion of 5,10-methylenetetrahydrofolate to 5-methyltetrahydrofolate, a co-substrate for homocysteine remethylation to methionine. Genetic variation in this gene influences susceptibility to occlusive vascular disease, neural tube defects, colon cancer and acute leukemia, and mutations in this gene are associated with methylenetetrahydrofolate reductase deficiency.

MTHFR Blocking Peptide (Center) - References

Singh, K., et al. J Postgrad Med 56(4):267-269(2010)
Harisha, P.N., et al. J Neurosurg Pediatr 6(4):364-367(2010)
Wu, H.C., et al. Anticancer Res. 30(9):3573-3577(2010)
Magnowski, P., et al. Ginekol. Pol. 81(7):506-510(2010)
Kristensen, M.H., et al. J. Int. Med. Res. 38(3):870-883(2010)

homocysteine remethylation to methionine.

MTHFR Blocking Peptide (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)