

DATA SHEET

## Goat anti-Tfap2a (zebrafish) Antibody

Item Number	dAP-1394
Target Molecule	Principle Name: Tfap2a (zebrafish); Official Symbol: tfap2a; All Names and Symbols: tfap2a; transcription factor AP-2 alpha ; cb93; fb83f04; fc31a07; wu:fb83f04; wu:fc31a07; ap2; ap2a; lockjaw; low; mob; mont blanc; Accession Number (s): NP_789829.1; Human Gene ID(s): ; Non-Human GeneID(s):
Immunogen	NPNSHSETGSKAGDK, is from C Terminus
Applications	Pep ELISA Species Tested:
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	werkillend neuder of Four or 100ur IcC. Decensitives IcC with 100ul or 200ul starile DLWeter and final
Supplied As	lyophilized powder of 50ug or 100ug IgG; Reconsititute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 16000.
Western Blot	Western Blot: Not yet tested. At this stage we are dependent on researchers in the field for further charac- terization of this product. Therefore we cannot recommend an optimal concentration and the product is investigative grade. We would appreciate any
ІНС	

Reference

Reference(s): Li W, Cornell RA. Redundant activities of Tfap2a and Tfap2c are required for neural crest induction and development of other non-neural ectoderm derivatives in zebrafish embryos. Dev Biol. 2007 Apr 1;304(1):338-54. Epub 2006 Dec 23..PMID: 17258188 ->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for Research Use Only