


Rabbit anti NF-κB P65 (pThr435)

- Catalog Number:** pAP11012
Amount: 100µl (for 10 Western Blotting)
Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage/Stability: Store at -20°C/1 year
Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human NF-κB around the phosphorylation site of threonine 435 (E-G-T^P-L-S).
Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site.
Specificity/Sensitivity: NF-κB p65 (phospho-Thr435) antibody detects endogenous levels of NF-κB p65 only when phosphorylated at threonine 435.
Reactivity: Human, Mouse, Rat
Applications: WB: 1:1000
Swiss-Prot No. : Q04206
References: Yeh PY, et al. (2004) J Biol Chem.



Western blot analysis of extracts from COS7 cells using NF-κB p65 (Ab-435) antibody (AP21012, Line 1 and 2) and NF-κB p65 (phospho-Thr435) antibody (pAP11012, Line 3 and 4).

For Research Use Only

Contact & Ordering Information: Angio-Proteomie, 11 Park Drive, Suite 12, Boston, MA 02215, USA. Fax: (480) 247-4337, angioproteomie@gmail.com