



Interleukin-28A Human Recombinant, HEK

| | |
|--|--|
| Item Number | rAP-0508 |
| Synonyms | Interleukin-28A, IL-28A, IFN-Lambda 2, Interferon-Lambda 2, Cytokine ZCYTO20, IL28A, IFNL2, ZCYTO20. |
| Description | Interleukin-28A Human Recombinant produced in HEK cells is a non-glycosylated monomer, having a total molecular weight of 24kDa. The IL28A is purified by proprietary chromatographic techniques. |
| Uniprot Accession Number | Q8IZJ0 |
| Amino Acid Sequence | |
| Source | HEK. |
| Physical Appearance and Stability | Sterile Filtered White lyophilized (freeze-dried) powder. Lyophilized IL-28A although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution IL28A should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles. |
| Formulation and Purity | The IL28A was lyophilized from 1mg/ml in 1xPBS. Greater than 95% as observed by SDS-PAGE. |
| Application | |
| Solubility | It is recommended to reconstitute the lyophilized IL-28A in sterile water not less than 100µg/ml, which can then be further diluted to other aqueous solutions. |
| Biological Activity | The specific activity was determined by the dose dependent protection of the cytopathic effect on A549 cells (human lung adenocarcinoma epithelial cell line) that were challenged with encephalomyocarditis (EMC) virus and is typically 0.5-5ng/ml. |
| Shipping Format and Condition | Lyophilized powder at room temperature. |

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**