



Mouse Monoclonal Antibody to NEDD8

Cataloge Number sAP-0665

Target Molecule Name: NEDD8

Aliases: NEDD-8

MW: 9kDa

Entrez Gene ID: 4738

Descrption

Ubiquitin-like protein which plays an important role in cell cycle control and embryogenesis. Covalent attachment to its substrates requires prior activation by the E1 complex UBE1C-APPBP1 and linkage to the

Eachment to its substrates requires prior activation by the E1 complex UBE1C-APPBP1 and linkage to the E2 enzyme UBE2M. Attachment of NEDD8 to cullins activates their associated E3 ubiquitin ligase activity, and thus promotes polyubiquitination and proteasomal degradation of cyclins and other regulatory proteins. Tissue specificity: Highly expressed in heart, skeletal muscle, spleen, thymus, prostate, testis, ovary,

colon and leukocytes.

Immunogen Purified recombinant fragment of human NEDD8 expressed in E. Coli.;

Recitative Species Human

Clone MM5B8;

Size and Concentration 100µg/1mg/ml

Supplied as Lyophilized Powder from 100µl of Purified antibody in PBS with 0.05% sodium azide

Reconstitution/Storages Reconstituted with 100µl sterile DI H2O, at stored at 4°C or -20°C for short or long term storage

Applications ELISA: 1 to 10000; WB: 1 to 500 - 1 to 2000; IHC: 1 to 200 - 1 to 1000; ICC: 1 to 200 - 1 to 1000; FCM: 1 to

200 - 1 to 400

Shipping Regular FEDEX overnight shipment (ambient temperature)

Reference 1. Cell. 2009 Jul 23;138(2):389-403. ; 2. Biochem Biophys Res Commun. 2009 Apr 10;381(3):443-7. ;

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for Research Use Only