



Mouse Monoclonal Antibody to GAD2

Cataloge Number sAP-1180

Target Molecule Name: GAD2

Aliases: GAD65

MW: 65.4kDa

Entrez Gene ID: 2572

DescrptionThis gene encodes one of several forms of glutamic acid decarboxylase, identified as a major autoantigen in insulin decard and disconnected in the second and disconnected i

in insulin-dependent diabetes. The enzyme encoded is responsible for catalyzing the production of gamma-aminobutyric acid from L-glutamic acid. A pathogenic role for this enzyme has been identified in the human pancreas since it has been identified as an autoantibody and an autoreactive T cell target in insulindependent diabetes. This gene may also play a role in the stiff man syndrome. Alternative splicing results in

multiple transcript variants that encode the same protein.;

Immunogen Purified recombinant fragment of human GAD2 (AA: 1-100) expressed in E. Coli.

Recitative Species Human;

Clone MM5D9G12;

Size and Concentration 100µg/1mg/ml

Supplied as Lyophilized Powder from 100µl of Purified antibody in PBS with 0.05% sodium azide

Reconstitution/Storages Reconstituted with 100µl sterile DI H2O, at stored at 4°C or -20°C for short or long term storage

Applications ELISA: 1 to 10000; WB: 1 to 500 - 1 to 2000; IHC: ; ICC: ; FCM: 1 to 200 - 1 to 400

Shipping Regular FEDEX overnight shipment (ambient temperature)

Reference 1.Histopathology. 2013 Sep;63(3):334-42.; 2.Biol Psychiatry. 2012 Nov 1;72(9):734-43.;

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for Research Use Only