

## BILIR Native Bilirubin Conjugate Direct, Ditaurate Sodium

Catalog No.	CNP005A	Quantity:	25 mg
	CNP005C		1 g
Alternate Names:	Bilirubin Ditaurate, Taurobilirubin, Ditaurate 2 Na		
Description:	<ul> <li>Bilirubin is chemically bound to a glucuronide in the liver, which is excreted in bile by the liver and stored in the gallbladder or transferred to the duodenum.</li> <li>Bilirubin Conjugate is synthesized. Bilirubin Conjugation, direct reacting bilirubin is a highly water soluble, high purity, synthetic ditaurine bilirubin derivative. The chemical behavior of bilirubin conjugate direct reacting bilirubin compound with regards to diazotizing reagents and conditions is identical within experimental limits to that of purified natural bilirubin glucuronides.</li> <li>The solubility and chromatographic behaviors of conjugated bilirubin product are comparable to the glucuronides, indicating similar polarities and solvation properites. Clinically the most important characteristic of direct reacting bilirubin to bilirubin conjugate is it diazo reactivity in the absence of accelerators.</li> </ul>		
Gene ID:	100325212		
Source:	Porcine Gall Bladder		
Molecular Weight:	842.91 kDa		
Formulation:	Lyophilized		
Purity:	Total Bilirubin: 60-80% by weight. Direct Bilirubin: ≥90% of total, ≥50% by weight. Maximum at 448 - 452nm Minimum at 324 - 330nm		
Appearance:	Orange to reddish brown		
Solubility:	Clear, yellow to brown solution at 1 mg/ml, in 0.1 mM EDTA, pH 7.5		
Reconstitution:	Prepare at 1 mg/ml in 0.1 mM EDTA, pH 7.5, <b>Protect from light.</b>		
Storage & Stability:	Store unopened at -20°C to -80°C for up to 1 year. Avoid repeated freeze-thaw cycles. Protect from light and air.		

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.



Toll Free: 888-769-1246 Phone: 978-572-1070 Fax: 978-992-0298