

## **ELANE**

## **Native Human Neutrophil Elastase**

**Catalog No.** CRN115AL **Quantity:** 100 μg

CRN115BL 1.0 mg
CRN115CL 5.0 mg

Alternate Names: ELA-2, GE, NE, HLE, HNE, ELA2, SCN1, PMN-E

**Description:** Chromatographically purified from human leucocytes and lyophilized. The protein is

greater than 95 percent pure by SDS-PAGE and is free of cathepsin G, MPO and lysozyme. 800-900 units per mg of protein on the substrate Suc-Ala-Ala-Ala-pNA and 15000-19000 units per mg protein on the substrate MeO-Suc-Ala-Ala-Pro-Val-pNA. One unit will hydrolyze 1 umole of substrate per minute at pH 7.5 and 25 °C. Proteolysis can be inhibited by benzamidine. Autolysis and proteolysis can be inhibited by elastatinal. However, elastatinal is also an inhibitor of elastase. Low pH protects the elastase from

both autolysis and proteolysis.

**Gene ID:** 1991

UniProtKB: P08246

Source: Human neutrophil

Formulation: Lyophilized in acetate buffer

**Purity:** ≥96% by SDS-PAGE

Specific Activity: Lot specific, measured as one unit will hydrolyze one micromole of Methoxy succinyl-

alanine-alanine-proline-valine-p-nitroanilide per minute at 37°C and pH 7.5.

**Reconstitution:** Recommend reconstitution at  $\geq 1$  mg/mL in a buffer such as Tris-buffered saline, pH 7.5.

Further dilutions should include a carrier such as 1% BSA.

Storage & Stability: Upon receipt, store desiccated at 2-4 °C for up to one year. Upon reconstitution, store

in working aliquots between -20 to -80°C. Avoid repeated freeze-thaw cycles.

Statement: Non-Infectious Disease Certification: Non-reactive for HIV-1/HCV/HBV by NAT; HBsAg,

HCV Ab, HIV-1&2 Ab and RPR by currently approved FDA methods. However, because no test method can offer complete assurance that infectious agents are absent, this material should be handled at Bio-Safety Level 2 (BSL 2) as recommended for potentially

E-mail: info@cellsciences.com
Website: www.cellsciences.com

infectious human serum or blood specimen in the CCD/NIH manual "Biosafety in

Microbiological and Biomedical Laboratories", 2009.

Toll Free: 888-769-1246

Phone: 978-572-1070 Fax: 978-992-0298

NOT FOR HUMAN USE. FOR RESEARCH ONLY, NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.