

## TRAF3IP2

### Synthetic TRAF3IP2/CIKS/Act1 CT (aa 554-568)

**Catalog No.** PX209BP **Quantity:** 50 µg

**Alternate Names:** ACT1, CIKS, C6orf4, C6orf5, C6orf6, PSORS13

**Description:** This gene encodes a protein involved in regulating responses to cytokines by members of the Rel/NF-kappaB transcription factor family. These factors play a central role in innate immunity in response to pathogens, inflammatory signals and stress. This gene product interacts with TRAF proteins (tumor necrosis factor receptor-associated factors) and either I-kappaB kinase or MAP kinase to activate either NF-kappaB or Jun kinase. Several alternative transcripts encoding different isoforms have been identified. Another transcript, which does not encode a protein and is transcribed in the opposite orientation, has been identified. Overexpression of this transcript has been shown to reduce expression of at least one of the protein encoding transcripts, suggesting it has a regulatory role in the expression of this gene.

**Gene ID:** 10758

**Application:** The peptide is used for blocking the antibody activity of CIKS/Act1. The peptide with equal volume of antibody for 30 min at 37°C usually completely blocks the antibody activity in Western blotting.

**Formulation:** It is supplied as 200 µg/ml, 50 µg/vial, in PBS pH7.2 (10 mM NaH<sub>2</sub>PO<sub>4</sub>, 10 mM, Na<sub>2</sub>HPO<sub>4</sub>, 130 mM NaCl) containing 0.1% bovine serum albumin and 0.02% sodium azide. **Precaution:** Sodium azide is a poisonous and hazardous substance which should be handled by trained staff only.

**Sequence:** REEEYVAPPRGPLPT

**Storage & Stability:** Store at -20°C, stable for one year.

**NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.**