

Goat Anti Chicken IgA Polyclonal Antibody, AP

DPBT-67110GC Goat(IgA) Lot. No. (See product label)

PRODUCT INFORMATION

Product Overview Goat Anti Chicken IgA, AP

Immunogen Purified chicken IgA

Host Goat

Isotype Polyclonal IgG

Species Chicken AP Conjugation

Applications ELISA.

Dilution ELISA: 1/1000 - 1/10000

PACKAGING

Format Purified IgG conjugated to Alkaline Phosphatase - liquid

Protein Concentration IgG concentration 0.5mg/ml

Buffer 50mM HEPES, 0.1M NaCl, 1mM MgCl2, 0.1mM ZnCl2

Storage Store at +4 °C.DO NOT FREEZE. This product should be stored undiluted. Should this product contain

a precipitate we recommend microcentrifugation before use.

Preservative 0.09% Sodium Azide (NaN3) 0.2% Bovine Serum Albumin

Shelf Life 12 months from date of despatch.

BACKGROUND

Introduction Immunoglobulin A (IgA) is an antibody that plays a critical role in mucosal immunity. More IgA is

produced in mucosal linings than all other types of antibody combined; between three and five grams are secreted into the intestinal lumen each day. This accumulates to 75% of the total immunoglobulin produced in the entire body. IgA has two subclasses (IgA1 and IgA2) and can exist in a dimeric form called secretory IgA (sIgA). In its secretory form, IgA is the main immunoglobulin found in mucous secretions, including tears, saliva, colostrum and secretions, including tears, saliva, colostrum and secretions the land to the product of the secretions.

gastrointestinal tract, prostate and respiratory epithelium. It is also found in small amounts in blood. The secretory component of slgA protects the immunoglobulin from being degraded by proteolytic enzymes, thus slgA can survive in the harsh gastrointestinal tract environment and provide protection against microbes that multiply in body secretions. IgA is a poor activator of the complement system,

and opsonises only weakly. Its heavy chains are of the type α .

Ig alpha 1 chain C region; Ig alpha 2 chain C region; IGHA1; IGHA2; Immunoglobulin heavy constant Keywords

alpha 1; Immunoglobulin heavy constant alpha 2 A2m marker; Immunoglobulin heavy constant alpha 2; IgA; Immunoglobulin A; IgAα; Immunoglobulin Aα; IgA heavy chain, Immunoglobulin A heavy chain;

IgAαheavy chain; Immunoglobulin Aαheavy chain