

🕜 Tel: +1-301-363-4651 🛛 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com 🍙

## CHRM3 Antibody

CSB-PA005383ESR1HU
Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
P20309
Recombinant Human Muscarinic acetylcholine receptor M3 protein (270-470AA)
Rabbit
Human
ELISA
The muscarinic acetylcholine receptor mediates various cellular responses, including inhibition of adenylate cyclase, breakdown of phosphoinositides and
modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover.
modulation of potassium channels through the action of G proteins. Primary
modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover.
modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover.
modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover. Liquid Non-conjugated
<ul> <li>modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover.</li> <li>Liquid</li> <li>Non-conjugated</li> <li>PBS with 0.02% sodium azide, 50% glycerol, pH7.3.</li> </ul>
<ul> <li>modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover.</li> <li>Liquid</li> <li>Non-conjugated</li> <li>PBS with 0.02% sodium azide, 50% glycerol, pH7.3.</li> <li>Antigen Affinity Purified</li> </ul>
<ul> <li>modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover.</li> <li>Liquid</li> <li>Non-conjugated</li> <li>PBS with 0.02% sodium azide, 50% glycerol, pH7.3.</li> <li>Antigen Affinity Purified</li> <li>IgG</li> </ul>
<ul> <li>modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover.</li> <li>Liquid</li> <li>Non-conjugated</li> <li>PBS with 0.02% sodium azide, 50% glycerol, pH7.3.</li> <li>Antigen Affinity Purified</li> <li>IgG</li> <li>Polyclonal</li> </ul>
<ul> <li>modulation of potassium channels through the action of G proteins. Primary transducing effect is Pi turnover.</li> <li>Liquid</li> <li>Non-conjugated</li> <li>PBS with 0.02% sodium azide, 50% glycerol, pH7.3.</li> <li>Antigen Affinity Purified</li> <li>IgG</li> <li>Polyclonal</li> <li>Muscarinic acetylcholine receptor M3, CHRM3</li> </ul>

1