



# PPIAL4G Antibody, HRP conjugated

|                            |  |
|----------------------------|--|
| <b>Product Code</b>        | CSB-PA018453LB01HU   |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.  |
| <b>Uniprot No.</b>         | P0DN37   |
| <b>Immunogen</b>           | Recombinant Human Peptidyl-prolyl cis-trans isomerase A-like 4G protein (1-164AA)  |
| <b>Raised In</b>           | Rabbit   |
| <b>Species Reactivity</b>  | Human  |
| <b>Tested Applications</b> | ELISA  |
| <b>Relevance</b>           | PPIases accelerate the folding of proteins. It catalyzes the cis-trans isomerization of proline imidic peptide bonds in oligopeptides. |
| <b>Form</b>                | Liquid   |
| <b>Conjugate</b>           | HRP  |
| <b>Storage Buffer</b>      | Preservative: 0.03% Proclin 300<br>Constituents: 50% Glycerol, 0.01M PBS, PH 7.4   |
| <b>Purification Method</b> | >95%, Protein G purified   |
| <b>Isotype</b>             | IgG  |
| <b>Clonality</b>           | Polyclonal   |
| <b>Alias</b>               | Peptidyl-prolyl cis-trans isomerase A-like 4G (PPIase A-like 4G) (EC 5.2.1.8) (Peptidylprolyl cis-trans isomerase A-like 4), PPIAL4G   |
| <b>Species</b>             | Homo sapiens (Human)   |
| <b>Research Area</b>       | Others   |
| <b>Target Names</b>        | PPIAL4G  |