

Image









TIMP4 Antibody

| Product Code | CSB-PA188746 |
|----------------------------|---|
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | Q99727 |
| Immunogen | Fusion protein of Human TIMP4 |
| Raised In | Rabbit |
| Species Reactivity | Human,Mouse,Rat |
| Tested Applications | ELISA,WB,IHC;ELISA:1:1000-1:2000,WB:1:200-1:1000,IHC:1:15-1:50 |
| Relevance | This gene belongs to the TIMP gene family. The proteins encoded by this gene family are inhibitors of the matrix metalloproteinases, a group of peptidases involved in degradation of the extracellular matrix. The secreted, netrin domain-containing protein encoded by this gene is involved in regulation of platelet aggregation and recruitment and may play role in hormonal regulation and endometrial tissue remodeling. |
| Form | Liquid |
| Conjugate | Non-conjugated |
| Storage Buffer | -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| Purification Method | Antigen affinity purification |
| Isotype | IgG |
| Species | Homo sapiens (Human) |
| Target Names | TIMP4 |
| | |



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CSB-PA188746(TIMP4 Antibody) at dilution 1/15, on the right is treated with fusion protein. (Original magnification: ×200)




The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using CSB-PA188746(TIMP4 Antibody) at dilution 1/15, on the right is treated with fusion protein. (Original magnification: ×200)









Gel: 8+12%SDS-PAGE, Lysate: 50 μg, Lane 1-3: Human brain tissue, PC3 cells, hela cells, Primary antibody: CSB-PA188746(TIMP4 Antibody) at dilution 1/200, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 30 seconds