
	<h2>BLC Polyclonal Antibody</h2>
--	----------------------------------

<b>Swiss-Prot No.:</b>	043927
<b>Molecular Weight:</b>	12.664
<b>Applications:</b>	WB,IHC,ELISA
<b>Reactivity:</b>	Human
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the Internal region of human BLC.
<b>Specificity/Sensitivity:</b>	BLC Polyclonal Antibody detects endogenous levels of BLC protein.
<b>Other Names:</b>	CXCL13; BCA1; BLC; SCYB13; C-X-C motif chemokine 13; Angie; B cell-attracting chemokine 1; BCA-1; B lymphocyte chemoattractant; CXC chemokine BLC; Small-inducible cytokine B13
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

**For Research Use Only**

	 <p>The image shows a Western blot analysis of mouse spleen cells. On the left side, molecular weight markers are indicated in kilodaltons (kDa): 70, 55, 40, 35, 25, 15, and 10. A single, dark band is visible at approximately 12 kDa, which is labeled as 'mouse spleen' at the top of the blot.</p>
	Western Blot analysis of mouse spleen cells using BLC Polyclonal Antibody.
<b>Gene Name:</b>	CXCL13
<b>Dilution:</b>	Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.