



|  |                                   |
|--|-----------------------------------|
|  | <h2>SDHB Polyclonal Antibody</h2> |
|--|-----------------------------------|

|                                 |   |
|---------------------------------|---|
| <b>Swiss-Prot No.:</b>          | P21912  |
| <b>Molecular Weight:</b>        | 31.63   |
| <b>Applications:</b>            | WB,IHC,ELISA  |
| <b>Reactivity:</b>              | Human,Mouse,Rat   |
| <b>Purification:</b>            | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.           |
| <b>Immunogen:</b>               | Synthesized peptide derived from the Internal region of human SDHB.   |
| <b>Specificity/Sensitivity:</b> | SDHB Polyclonal Antibody detects endogenous levels of SDHB protein.   |
| <b>Other Names:</b>             | SDHB; SDH; SDH1; Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial; Iron-sulfur subunit of complex II; Ip |
| <b>Storage/Stability:</b>       | -20°C/1 year  |
| <b>Source:</b>                  | Rabbit  |
| <b>Form of Antibody:</b>        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| <b>Protein Concentration:</b>   | 1 mg/ml   |

|                   |   |
|-------------------|---|
|                   |                        |
|                   | Western Blot analysis of HeLa, 293 cells using SDHB Polyclonal Antibody.                                |
| <b>Gene Name:</b> | SDHB  |
| <b>Dilution:</b>  | Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications. |