

# **Bulk Human IgG1 (IB1) Isotype Control**

#### **Product Benefits:**

ichorbio's bulk Human IgG1 Isotype Control (IB1) is manufactured in a cGMP compliant, ISO Quality Standard
9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from Bio
X Cell at less than 1.0 EU/mg. ichorbio: the best antibodies for <i>in vivo</i> research.
Target:
n/a. We mutated the CDR regions of a human IgG1 antibody to abolish binding to human proteins.
Clone:

# Size:

IB<sub>1</sub>

ichorbio's Human IgG1 Isotype Control (IB1) is available in the following bulk sizes: 5mg, 25mg, 50mg and 100mg, ichorbio regularly manufactures multi-gram amounts of our human IgG1 antibody - please contact us for pricing.

# **Isotype:**

Human IgG1 kappa

#### **Host:**

CHO cells

## **Species Reactivity:**

n/a

## **Specificity:**

This Human IgG1 isotype control recombinant antibody has been tested against selected human cells and tissues to assure minimal cross reactivity to human proteins.

#### **Purification Method:**

This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

### **Background:**



Recombinant IgG1 human antibody. **Concentration:** >5.0 mg/ml**Formulation:** This Human IgG1 Isotype Control (IB1) is aseptically packaged and formulated in 0.01 M phosphate buffered saline (PBS) pH 7.2 - 7.4, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and azide **Purity:** >95% by SDS-PAGE and HPLC >98% by SDS-PAGE and HPLC **Endotoxin:** ? 1.0 EU/mg as determined by the LAL method ? 0.75 EU/mg as determined by the LAL method **Aggregation:** Aggregation level ? 5% Aggregation level ? 1% Storage: This antibody is stable for at least 4 weeks when stored at 2-8°C. For long term storage, aliquot in working volumes without diluting and store at  $-20^{\circ}$ C or  $-80^{\circ}$ C. Avoid repeated freeze thaw cycles. **Applications:** Flow Cytometry, Functional Assays **Application Notes:** Each investigator should determine their own optimal working dilution for specific applications.

Products are for research use only.

Use: