
Cynomolgus BAFF/TNFSF13B/CD257 Trimer Protein

TNFRSF13C/BAFF-R.






Description	
Source	Recombinant Cynomolgus BAFF / TNFSF13B / CD257 Trimer Protein is expressed from HEK293 with His tag and Avi tag at the N-Terminus.
	It contains Thr141-Leu285.
Accession	A0A2K5V2X4
Molecular Weight	The protein has a predicted MW of 54.2 kDa. Due to glycosylation, the protein migrates to 55-60 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt20 to -80°C for 3-6 months in unopened state after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	

B-cell activating factor (BAFF) also known as tumor necrosis factor ligand superfamily member 13B is a protein that in humans is encoded by the TNFSF13B gene.BAFF is a cytokine that belongs to the tumor necrosis factor

(TNF) ligand family. This cytokine is a ligand for receptors TNFRSF13B/TACI, TNFRSF17/BCMA, and

Assay Data Tris-Bis PAGE



Cynomolgus BAFF Trimer on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.


ELISA Data

Assay Data



Cynomolgus BAFF (Trimer), His Tag ELISA

0.1μg Cynomolgus BAFF (Trimer), His Tag Per Well



Immobilized Cynomolgus BAFF Trimer, His Tag at $1\mu g/ml$ ($100\mu l/Well$) on the plate. Dose response curve for Human BAFFR, hFc Tag with the EC50 of $0.26\mu g/ml$ determined by ELISA.