Human DLL3 Domain (311-479) Protein

Cat. No. DLL-HM4D1



Recombinant Human DLL3 Domain (311-479) Protein is expressed from HEK293 with with His tag and Avi tag at the C-Terminus.
It contains Val311-Ala479.
Q9NYJ7-1
The protein has a predicted MW of 21.20 kDa. Due to glycosylation, the protein migrates to 25-30 kDa based on Tris-Bis PAGE result.
Less than 1EU per μg by the LAL method.
> 95% as determined by Tris-Bis PAGE
> 95% as determined by HPLC
age
Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Dissolve the lyophilized protein in distilled water.

Storage

Reconstitution

-20 to -80°C for 12 months as supplied from date of receipt.-20 to -80°C for 3-6 months in unopened state after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.


Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended.

Background

Delta-like protein 3 (DLL3) is a transmembrane protein that belongs to the Delta/Serrate/Lag-2 (DSL) family of Notch ligands. DLL3 inhibits primary neurogenesis. May be required to divert neurons along a specific differentiation pathway. Plays a role in the formation of somite boundaries during segmentation of the paraxial mesoderm (By similarity).

Assay Data

Tris-Bis PAGE




SEC-HPLC

Human DLL3 Domain (311-479) on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

KAGTUS


Assay Data



The purity of Human DLL3 Domain (311-479) is greater than 95% as determined by SEC-HPLC.

ELISA Data

Human DLL3 Domain (311-479), His Tag ELISA 0.05μg Human DLL3 Domain (311-479), His Tag Per Well



 $Log\ Anti-\ DLL3\ Antibody,\ hFc\ Tag\ Conc.(\mu g/ml)$

Immobilized Human DLL3 Domain (311-479) , His Tag at $0.5\mu g/ml$ (100 $\mu l/Well$) on the plate. Dose response curve for Anti-DLL3 Antibody, hFc Tag with the EC50 of 2.2ng/ml determined by ELISA.