Cynomolgus Kremen-2 Protein

KRE-CM102 Cat. No.




Description	
Source	Recombinant Cynomolgus Kremen-2 Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Gly26-Ala364.
Accession	XP_005591068.2
Molecular Weight	The protein has a predicted MW of 37.04 kDa. Due to glycosylation, the protein migrates to 50-65 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
Formulation and	1 Storage

Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt20 to -80°C for 3-6 months in unopened state after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Kremen2 (Krm2) plays an important role in embryonic development, bone formation, and tumorigenesis as a crucial regulator of classical Wnt/β-catenin signaling pathway. Compared to para-cancerous tissues, Krm2 was significantly up-regulated in gastric cancer tissues and was positively correlated with the pathological grade of gastric cancer patients. Krm2 can be a potent candidate for designing of targeted therapy.

Assay Data



ELISA Data


Cynomolgus Kremen-2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

Assay Data



Cynomolgus Kremen-2, His Tag ELISA

0.2μg Cynomolgus Kremen-2, His Tag Per Well



Log Anti-Kremen-2 Antibody, hFc Tag Conc.(μg/ml)

Immobilized Cynomolgus Kremen-2, His Tag at $2\mu g/ml$ (100 μ l/well) on the plate. Dose response curve for Anti-Kremen-2 Antibody, hFc Tag with the EC50 of 2.5ng/ml determined by ELISA.