

**activity-dependent neuroprotector
homeobox/ADNP Antibody, Rabbit
PAb, Antigen Affinity Purified**

Catalog Number: 203059-T38



Sino Biological
Biological Solution Specialist

GENERAL INFORMATION

Immunogen:	E. coli-derived Human activity-dependent neuroprotector homeobox/ADNP fragment
Preparation	Produced in rabbits immunized with E. coli-derived Human activity-dependent neuroprotector homeobox/ADNP fragment, and purified by antigen affinity chromatography.
Ig Type:	Rabbit IgG
Specificity:	Human activity-dependent neuroprotector homeobox/ADNP
Formulation:	PBS, pH7.0 with 0.03% Proclin300
Storage:	This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.
Alternative Names:	ADNP1,HVDAS,MRD28

APPLICATIONS

Applications:	WB,ICC/IF,IP
----------------------	--------------

RECOMMENDED CONCENTRATION

ICC/IF	ICC/IF: 1:200-1:1000
Western Blot	WB: 1:500-1:2000
Immunoprecipitation	IP:5-10 µL/mg of lysate


Please Note: Optimal concentrations/dilutions should be determined by the end user.

**activity-dependent neuroprotector
homeobox/ADNP Antibody, Rabbit
PAb, Antigen Affinity Purified**


Catalog Number: 203059-T38



Sino Biological
Biological Solution Specialist



Immunofluorescence staining of ADNP in U2OS cells. Cells were fixed with 4% PFA, permeabilized with 0.1% Triton X-100 in PBS, blocked with 10% serum, and incubated with rabbit anti-Human ADNP polyclonal antibody (dilution ratio 1:300) at 4°C overnight. Then cells were stained with the Alexa Fluor®594-conjugated Goat Anti-rabbit IgG secondary antibody (red). Positive staining was localized to Nucleus.



Anti-ADNP rabbit polyclonal antibody at 1:500 dilution


Lane A: Hela Whole Cell Lysate
Lane B: U-251 MG Whole Cell Lysate

Lysates/proteins at 30 µg per lane.

Secondary
Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution.

Developed using the ECL technique. Performed under reducing conditions.

Predicted band size: 122 kDa
Observed band size: 150 kDa



ADNP was immunoprecipitated using:
Lane A: 0.5 mg U-251MG Whole Cell Lysate

4 µL anti-ADNP rabbit polyclonal antibody and 60 µg of Immunomagnetic beads Protein A/G. Primary antibody:

Anti-ADNP rabbit polyclonal antibody, at 1:100 dilution

Secondary antibody:
Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution

Developed using the ECL technique. Performed under reducing conditions.

Predicted band size: 122 kDa
Observed band size: 150 kDa