Rhesus CCND3 ORF mammalian expression plasmid, N-Myc tag



Catalog Number: CG90783-NM

General Information

| Gene : | cyclin D3 |
|-------------------|----------------|
| Official Symbol : | CCND3 |
| Synonym : | CCND3 |
| Source : | Rhesus |
| cDNA Size: | 879bp |
| RefSeq : | NM_001265987.1 |

Description

Lot : Please refer to the label on the tube

Vector : pCMV3-N-Myc

Shipping carrier :

Each tube contains approximately 10 μg of lyophilized plasmid.

Storage :

The lyophilized plasmid can be stored at ambient temperature for three months.

Quality control :

The plasmid is confirmed by full-length sequencing with primers in the sequencing primer list.

Sequencing primer list :

| pCMV3-F: | 5' CAGGTGTCCACTCCCAGGTCCAAG 3' |
|--------------|--------------------------------|
| pcDNA3-R : | 5' GGCAACTAGAAGGCACAGTCGAGG 3' |
| Or | |
| Forward T7 : | 5' TAATACGACTCACTATAGGG 3' |
| ReverseBGH : | 5' TAGAAGGCACAGTCGAGG 3' |
| | |

pCMV3-F and pcDNA3-R are designed by Sino Biological Inc. Customers can order the primer pair from any oligonucleotide supplier.

Plasmid Resuspension protocol

- 1. Centrifuge at $5,000 \times g$ for 5 min.
- 2. Carefully open the tube and add 100 μ l of sterile water to dissolve the DNA.
- Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than $5000 \times g$.
- 5. Store the plasmid at -20 $^\circ\!\mathrm{C}.$

The plasmid is ready for:

- Restriction enzyme digestion
- PCR amplification
- E. coli transformation
- DNA sequencing

E.coli strains for transformation (recommended but not limited)

Most commercially available competent cells are appropriate for the plasmid, e.g. TOP10, DH5 α and TOP10F' .

Rhesus CCND3 ORF mammalian expression plasmid, N-Myc tag



Catalog Number: CG90783-NM

Vector Information

All of the pCMV vectors are designed for high-level stable and transient expression in mammalian hosts. High-level stable and non-replicative transient expression can be carried out in most mammalian cells. The vectors contain the following elements:

•Human enhanced cytomegalovirus immediate-early (CMV) promoter for high-level expression in a wide range of mammalian cells.

• Hygromycin resistance gene for selection of mammalian cell lines.

• A Kozak consensus sequence to enhance mammalian expression.