Human p21/WAF1/CDKN1A Gene ORF cDNA clone expression plasmid, N-HA tag



Catalog Number: HG11108-NY

General Information

Gene: cyclin-dependent kinase inhibitor 1A (p21,

Cip1)

Official Symbol: CDKN1A

Synonym: CAP20; CDKN1; CIP1; MDA-6; P21;

p21CIP1; SDI1; WAF1

Source: Human

cDNA Size: 537bp

RefSeq: NM_000389.3

Plasmid: pCMV3-HA-CDKN1A

Description

Lot : Please refer to the label on the tube

Sequence Description:

Identical with the Gene Bank Ref. ID sequence.

Restriction site: Kpnl + Xbal(6kb+0.54kb)

Vector: pCMV3-N-HA

Quality control:

The plasmid is confirmed by full-length sequencing with primers in the sequencing primer list.

in the sequencing primer list.

Sequencing primer list:

pCMV3-F: 5' CAGGTGTCCACTCCCAGGTCCAAG 3'

pcDNA3-R: 5' GGCAACTAGAAGGCACAGTCGAGG 3'

Or

Forward T7: 5' TAATACGACTCACTATAGGG 3'

ReverseBGH: 5' TAGAAGGCACAGTCGAGG 3'

pCMV3-F and pcDNA3-R are designed by Sino Biological Inc. Customers can order the primer pair from any oligonucleotide supplier.

Shipping carrier:

Each tube contains approximately 10 µg of lyophilized plasmid.

Storage:

The lyophilized plasmid can be stored at ambient temperature for three months.

Plasmid Resuspension protocol

- 1. Centrifuge at 5,000×g for 5 min.
- 2. Carefully open the tube and add 100 μl of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than $5000 \times g$.
- 5. Store the plasmid at $-20 \,^{\circ}$ C.

The plasmid is ready for:

- Restriction enzyme digestion
- PCR amplification
- E. coli transformation
- · DNA sequencing

E.coli strains for transformation (recommended but not limited)

Most commercially available competent cells are appropriate for the plasmid, e.g. TOP10, DH5 α and TOP10F $\dot{}$.

Human p21/WAF1/CDKN1A Gene ORF cDNA clone expression plasmid, N-HA tag



Catalog Number: HG11108-NY

Vector Information

All of the pCMV vectors are designed for high-level stable and transient expression in mammalian hosts. High-level stable and non-replicative transient expression can be carried out in most mammalian cells. The vectors contain the following elements:

- •Human enhanced cytomegalovirus immediate-early (CMV) promoter for high-level expression in a wide range of mammalian cells.
- Hygromycin resistance gene for selection of mammalian cell lines.
- A Kozak consensus sequence to enhance mammalian expression.

Vector Name pCMV3-N-HA Vector Size 6101bp

Vector Type Mammalian Expression Vector

Expression Method Constitutive, Stable / Transient

Promoter CMV

Antibiotic Resistance Kanamycin Selection In Mammalian Cells Hygromycin

Protein Tag HA

Physical Map of Plasmid:

