# Human ICAM4 ORF mammalian expression plasmid, N-Myc tag



#### Catalog Number: HG13327-NM

#### **General Information**

Gene :	?intercellular adhesion molecule 4 (Landsteiner-Wiener blood group)?
Official Symbol :	ICAM4
Synonym :	LW, CD242, ICAM4
Source :	Human
cDNA Size:	819bp
RefSeq :	BC000046
Description	

#### Description

Vector: pCMV3-SP-N-Myc

#### Shipping carrier :

Each tube contains approximately 10 µg of lyophilized plasmid.

#### Storage :

The lyophilized plasmid can be stored at ambient temperature for three months.

#### **Quality control :**

The plasmid is confirmed by full-length sequencing with primers in the sequencing primer list.

#### Sequencing primer list :

pCMV3-F:	5' CAGGTGTCCACTCCCAGGTCCAAG 3'
pcDNA3-R :	5' GGCAACTAGAAGGCACAGTCGAGG 3'
Or	
Forward T7 :	5' TAATACGACTCACTATAGGG 3'
ReverseBGH :	5' TAGAAGGCACAGTCGAGG 3'

pCMV3-F and pcDNA3-R are designed by Sino Biological Inc. Customers can order the primer pair from any oligonucleotide supplier.

#### **Plasmid Resuspension protocol**

- 1. Centrifuge at  $5,000 \times g$  for 5 min.
- 2. Carefully open the tube and add 100  $\mu$ l of sterile water to dissolve the DNA.
- Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than  $5000 \times g$ .
- 5. Store the plasmid at -20  $^{\circ}$ C.

#### The plasmid is ready for:

- Restriction enzyme digestion
- PCR amplification
- E. coli transformation
- DNA sequencing

# *E.coli* strains for transformation (recommended but not limited)

Most commercially available competent cells are appropriate for the plasmid, e.g. TOP10, DH5 $\alpha$  and TOP10F  $\dot{}$  .

# Human ICAM4 ORF mammalian expression plasmid, N-Myc tag



Catalog Number: HG13327-NM

#### **Vector Information**

All of the pCMV vectors are designed for high-level stable and transient expression in mammalian hosts. High-level stable and non-replicative transient expression can be carried out in most mammalian cells. The vectors contain the following elements:

•Human enhanced cytomegalovirus immediate-early (CMV) promoter for high-level expression in a wide range of mammalian cells.

• Hygromycin resistance gene for selection of mammalian cell lines.

• A Kozak consensus sequence to enhance mammalian expression.


Vector Name	pCMV3-SP-N-Myc
Vector Size	6149bp
Vector Type	Mammalian Expression Vector
Expression Method	Constiutive, Stable / Transient
Promoter	CMV
AntibioticResistance	Kanamycin
Selection In Mammalian Cells	Hygromycin
Protein Tag	Mvc

## pCMV3-SP-N-Myc (suitable for secretary

and membane protein expession)



## **Physical Map**




#### Comments for pCMV3-SP-N-Myc:

CMV promoter: bases 250-837 enhancer: bases 838-1445 SV40 early promoter: bases 2390-2759 Hygromycin ORF: bases 2777-3802 pUC origin: bases 4445-5118 Kanamycin ORF: bases 5192-6007

## Description

Vector Name	pCMV3-SP-N-Myc
Vector Size	6149bp
Vector Type	Mammalian Expression Vector
Expression Method	Constitutive, Stable / Transient
Promoter	CMV
Antibiotic Resistance	Kanamycin
Selection In Mammalian Cells	Hygromycin
Protein Tag	Мус
Sequencing Primer	Forward:T7(TAATACGACTCACTATAGGG) Reverse:BGH(TAGAAGGCACAGTCGAGG)

### Schematic of pCMV3-SP-N-Myc Multiple Cloning Sites



pCMV3-SP-N-Myc is recommended for constructing the N-Myc tag secretary and membrane proteins expression vector which containing a naïve signal peptide. An universal signal peptide is used to instead the naïve signal peptide.