Human ANGPT1 ORF mammalian expression plasmid, N-Myc tag



Catalog Number: HG13667-NM

General Information

Gene: angiopoietin 1

Official Symbol: ANGPT1

AGP1, AGPT, ANG1 Synonym:

Source: Human

cDNA Size: 1497bp

RefSeq: NM_001146.3

Plasmid: pCMV3-Myc-ANGPT1

Description

Please refer to the label on the tube Lot:

Sequence Description:

Identical with the Gene Bank Ref. ID sequence.

Restriction site: KpnI + NotI (6kb + 1.55kb)

Vector: pCMV3-SP-N-Myc

Shipping carrier:

Each tube contains approximately 10 µg of lyophilized plasmid.

Storage:

The lyophilized plasmid can be stored at ambient temperature for three months.

Quality control:

The plasmid is confirmed by full-length sequencing with primers in the sequencing primer list.

Sequencing primer list:

5' CAGGTGTCCACTCCCAGGTCCAAG 3' pCMV3-F: pcDNA3-R: 5' GGCAACTAGAAGGCACAGTCGAGG 3'

Or

Forward T7: 5' TAATACGACTCACTATAGGG 3' ReverseBGH: 5' TAGAAGGCACAGTCGAGG 3'

pCMV3-F and pcDNA3-R are designed by Sino Biological Inc. Customers can order the primer pair from any oligonucleotide supplier.

Plasmid Resuspension protocol

- 1. Centrifuge at $5,000 \times g$ for 5 min.
- 2.Carefully open the tube and add 100 µl of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than $5000 \times g$.
- 5.Store the plasmid at -20 °C.

The plasmid is ready for:

- · Restriction enzyme digestion
- PCR amplification
- · E. coli transformation
- DNA sequencing

E.coli strains for transformation (recommended but not limited)

Most commercially available competent cells are appropriate for the plasmid, e.g. TOP10, DH5 α and TOP10F'.

Human ANGPT1 ORF mammalian expression plasmid, N-Myc tag



Catalog Number: HG13667-NM

Vector Information

All of the pCMV vectors are designed for high-level stable and transient expression in mammalian hosts. High-level stable and non-replicative transient expression can be carried out in most mammalian cells. The vectors contain the following elements:

- •Human enhanced cytomegalovirus immediate-early (CMV) promoter for high-level expression in a wide range of mammalian cells.
- Hygromycin resistance gene for selection of mammalian cell lines.
- A Kozak consensus sequence to enhance mammalian expression.

Vector Name pCMV3-SP-N-Myc

Vector Size 6149bp

VectorType Mammalian Expression Vector Expression Method Constitutive, Stable / Transient


Promoter CMV

Antibiotic Resistance Kanamycin

Selection In Mammalian Cells Hygromycin

Protein Tag Mvc


Physical Map of Plasmid :



pCMV3-SP-N-Myc (suitable for secretary and membane protein expession)



Physical Map



Comments for pCMV3-SP-N-Myc:


CMV promoter: bases 250-837 enhancer: bases 838-1445

SV40 early promoter: bases 2390-2759 Hygromycin ORF: bases 2777-3802 pUC origin: bases 4445-5118 Kanamycin ORF: bases 5192-6007

Description

Vector Name	pCMV3-SP-N-Myc
Vector Size	6149bp
Vector Type	Mammalian Expression Vector
Expression Method	Constitutive, Stable / Transient
Promoter	CMV
Antibiotic Resistance	Kanamycin
Selection In Mammalian Cells	Hygromycin
Protein Tag	Мус
Sequencing Primer	Forward:T7(TAATACGACTCACTATAGGG) Reverse:BGH(TAGAAGGCACAGTCGAGG)

Schematic of pCMV3-SP-N-Myc Multiple Cloning Sites



pCMV3-SP-N-Myc is recommended for constructing the N-Myc tag secretary and membrane proteins expression vector which containing a naïve signal peptide. An universal signal peptide is used to instead the naïve signal peptide.