

## Safety Data Sheet

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number: STA-339  
 Product Name: OxiSelect™ Catalase Activity Assay Kit, Fluorometric  
 Recommended Use: Laboratory Research Reagents

**MANUFACTURER:**

Cell Biolabs, Inc.  
 7758 Arjons Drive  
 San Diego, CA 92126

**EMERGENCY CONTACT:**


+1 858 271 6500  
 info@cellbiolabs.com

### SECTION 2. HAZARDS IDENTIFICATION

ADHP Probe (Part No. 234401): One 250 µL amber vial

**Classification:**


Flammable liquids, Category 4 (H227)  
 Acute toxicity, Oral, Category 4 (H302)

<b>Pictogram</b>	
<b>Signal Word</b>	Warning
<b>Hazard Statements:</b> Combustible liquid (H227), Harmful if swallowed (H302).	
<b>Precautionary Statements:</b> Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), In case of fire: use dry sand, dry chemical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventilated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501).	

Hydrogen Peroxide (Part No. 234102): One 100  $\mu$ L amber tube of an 8.82 M solution

**Classification:**

Acute toxicity, Oral, Category 4 (H302)  
Skin corrosion, Category 1B (H314)  
Serious eye damage, Category 1 (H318)  
Acute aquatic toxicity, Category 3, H402

<b>Pictogram</b>	
<b>Signal Word</b>	Danger
<b>Hazard Statements:</b> Harmful if swallowed (H302), Causes severe skin burns and eye damage (H314), Harmful to aquatic life (H402).	
<b>Precautionary Statements:</b> Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301 + P330 + P331), IF ON SKIN (or hair): take off immediately all contaminated clothing Rinse skin with water/shower (P303 + P361 + P353), IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. (P304 + P340 + P310), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER / doctor (P305 + P351 + P338 + P310), Wash contaminated clothing before reuse (P363), Store locked up (P405), Dispose of contents/container to an approved waste disposal plant (P501).	

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

ADHP Probe (Part No. 234401): One 250  $\mu$ L amber vial

CHEMICAL NAME	CONCENTRATION	CAS #
Dimethyl Sulfoxide	100%	67-68-5
ADHP	10-15 mM	119171-73-2

Hydrogen Peroxide (Part No. 234102): One 100 µL amber tube of an 8.82 M solution

CHEMICAL NAME	CONCENTRATION	CAS #
Hydrogen Peroxide	30 %	7722-84-1

#### SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

#### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO<sub>2</sub>
- Special protective equipment: Self-contained breathing apparatus

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

#### SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.
- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available
- Evaporation rate: no data available
- Vapor pressure: no data available
- Vapor density: no data available
- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available

## SECTION 10. STABILITY AND REACTIVITY

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available
- Decomposition products: no data available

## SECTION 11. TOXICOLOGICAL INFORMATION

- Acute toxicity
  - Dimethyl Sulfoxide:
    - LD50 Oral - rat - 14.500 mg/kg
    - LC50 Inhalation - rat - 4 h - 40250 ppm
    - LD50 Dermal - rabbit - > 5.000 mg/kg
  - All other hazardous components: no data available
- Skin corrosion/irritation: no data available
- Serious eye damage/irritation: no data available
- Respiratory or skin sensitization: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: no data available
- Reproductive toxicity: no data available

## SECTION 12. ECOLOGICAL INFORMATION

- Ecotoxicity
  - Dimethyl Sulfoxide:

- Toxicity to fish: LC50 - Pimephales promelas (fathead minnow) - 34.000 mg/l - 96 h, LC50 - Oncorhynchus mykiss (rainbow trout) - 35.000 mg/l - 96 h
- Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex (Water flea) - 27.500 mg/l
- Toxicity to algae: EC50 - Lepomis macrochirus (Bluegill)- > 400.000 mg/l - 96h
- All other hazardous components: no data available
- Mobility: no data available
- Biodegradation: no data available
- Bioaccumulation: no data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

### **SECTION 14. TRANSPORT INFORMATION - IATA**

- Hazard Class: Not Hazardous

### **SECTION 15. REGULATORY INFORMATION**

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available

### **SECTION 16. OTHER INFORMATION**

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 02/01/2018