

1. IDENTIFICATION

Product Identification

Product Name

Rhesus Macaque IL-23 ELISA Kit ELK-IL23

Catalog Number Kit Components

Component	Size / Description
IL-23 Microplate (Item A)	96 wells (12 strips x 8 wells) coated with anti-Rhesus Macaque IL-23.
Wash Buffer Concentrate (20X) (Item B)	25 ml of 20X concentrated solution.
Standard Protein (Item C)	2 vials of Rhesus Macaque IL-23. 1 vial is enough to run each standard in duplicate.
Detection Antibody IL-23 (Item F)	2 vials of biotinylated anti-Rhesus Macaque IL-23. Each vial is enough to assay half the microplate.
HRP-Streptavidin Concentrate (Item G)	200 µl 300X concentrated HRP-conjugated streptavidin.
TMB One-Step Substrate Reagent (Item H)	12 ml of 3,3,5,5'-tetramethylbenzidine (TMB) in buffer solution.
Stop Solution (Item I)	8 ml of 0.2 M sulfuric acid.
Assay Diluent D (Item K)	15 ml of 5X concentrated buffer.
Assay Diluent B (Item E)	15 ml of 5X concentrated buffer.

Usage

This product is furnished for LABORATORY RESEARCH USE ONLY. Not for diagnostic or therapeutic use.

Supplier Identification

Company	RayBiotech, Inc.
	3607 Parkway Lane, Suite 200
	Peachtree Corners, GA 30092, USA
Telephone	1-888-494-8555 (Toll Free); 770-729-2992
Fax	770-206-2393
Website	www.RayBiotech.com
Email	info@raybiotech.com
Emergency Telephone Number	
Emergency Phone #	1-888-494-8555

2. HAZARDS IDENTIFICATION

Hazardous Ingredients

1. Stop Solution contains Sulfuric Acid

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

Sulfuric Acid (Stop Solution): Causes skin irritation (H315); Causes serious eye irritation (H319)

.

GHS Label Elements

Hazard Pictograms	
Signal Word	Warning
Hazard Statements	Sulfuric Acid (Stop Solution): Causes skin irritation (H315); Causes serious eye irritation (H319)
Prevention	Wear protective gloves, protective clothing, eye protection, face protection. Wash exposed skin thoroughly after handling.
Response	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Not applicable.
Disposal	Dispose of contents/container to comply with local, state and federal regulations.
Hazards not otherwise classified	

Hazards not otherwise classified

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture	Item A is substance. All other items are	e mixture.
Other means of identification	Not available	
CAS Numbers/other identifiers	5	
Ingredient Name	%	CAS Number
Sulfuric Acid	1-3	7664-93-9
Any percentage shown as a rang	ge is to protect confidentiality or is due to ba	atch variation.
There are no odditional increation		alara af tha ar malian and in

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. FIRST-AID MEASURES

Description of Necessary First Aid Measures

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

Potential Acute Health Effects

Eye Contact	Sulfuric Acid (Stop Solution): Causes serious eye damage (H319)
Skin Contact	Sulfuric Acid (Stop Solution): Causes skin irritation (H315)
Inhalation	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards

Over-Exposure Signs/Symptoms

No specific data.

Notes to Physician

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific Treatments

No specific treatment

Protection of First-Aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

5. FIRE FIGHTING MEASURES

Extinguishing Media	Use an extiguishing agent suitable for the surrounding fire, such as water spray, carbon dioxide, dry chemical power or appropriate foam. Prevent contact with skin and eyes.
Chemical Hazards from Fire	In a fire or if heated, a pressure increase will occur and the component containers may burst.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For Emergency Responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel" above.
Environmental Precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Protective Equipment	Wear respirator, chemical safety goggles, rubber boots and rubber gloves.

Methods and Materials for Containment and Cleaning Up

Small Spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large Spill	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. STORAGE AND HANDLING

Storage

May be stored for up to 6 months at 2° to 8°C from the date of shipment. Opened Microplate Wells or reagentsmay be store for up to 1 month at 2° to 8°C. Return unused wells to the pouch containing desiccant pack, reseal along entire edge. Reconstituted standard can be stored at -80°C for up to 1 week. Note: the kit can be used within one year if the whole kit is stored at -20°C. Avoid repeated freeze-thaw cycles.

Handling

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Keep away from incompatible materials (see Section 10) and food and drink.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Permissible Exposure Limits (PELs)

		Regulatory Limits		Recommended Limits	
		OSHA PEL	Cal/OSHA PEL	NIOSH REL	ACGIH
Substance	CAS No.	mg/m3	8-hour TWA (ST) STEL (C) Ceiling	Up to 10-hour TWA (ST) STEL (C) Ceiling	8-hour TWA (ST) STEL (C) Ceiling
Sulfuric acid	7664-93-9	1	0.1 mg/m3 (ST) 3 mg/m3	1 mg/m3	0.2 mg/m3 (Thor.)

Appropriate Engineering Controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineeringcontrols to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Protective Equipment

Wear suitable protective clothing, including gloves, safety glasses, dust mask, and a laboratory coat.

Special Precautions

Not for human or drug use. Not for household use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, colorless
Odor	Odorless
Physical State	Liquid
рН	N/A
Boiling Point	N/A
Melting Point	N/A
Freezing Point	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Specific Gravity	N/A
Evaporation Rate	N/A
Solubility in Water	N/A
Odor Threshold	N/A
Coefficient of Water/Oil Distribution	N/A

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal handling procedures.
Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.

Acute toxicity

Ingredient Name	Result	Species	Dose	Exposure
Sulfuric Acid	LC50 Inhalation Gas LD50 Oral		347 ppm 2140 mg/kg	1 hour -

Irritation/Corrosion

kicity kicity re f <u>fects</u>	re irritant e e		250 Micrograms 0.5 minutes 5 milligrams	
lot available A IARC N 1 K kicity kicity re ffects	e NTP Known to be a human Not Available Not available Not available Not available		mal Inhalation	
A IARC N 1 K kicity kicity re	NTP Known to be a human Not Available Not available Not available Not available		mal Inholation	
1 K kicity kicity re ifects	Known to be a human Not Available Not available Not available Not available		mal Inhalation	
1 K kicity kicity re ifects	Known to be a human Not Available Not available Not available Not available		mal Inhalation	
kicity kicity re f <u>fects</u>	Not Available Not available Not available Not available			
kicity kicity re i ifects	Not available Not available Not available	ipated: Oral, Der	mal Inholation	
re l	Not available Not available	ipated: Oral, Der	mal Inholation	
re l	Not available	ipated: Oral, Der	mal Inholation	
re l ifects		ipated: Oral, Der	mal Inholation	
fects	Routes of entry antici	ipated: Oral, Der	mal Inhalation	
			mai, innaialion.	
	Sulfuric Acid (stop so	olution): Risk of s	erious damage to eyes.	
I	No known significant	effects or critical	hazards.	
ľ	No known significant	effects or critical	hazards	
;	Sulfuric Acid (stop so	olution): Skin irrita	ant or corrosion.	
TION				
I	No data available			
ability	No data available			
ulation	No data available			
al media	No data available			
; I	May be harmful to the	e environment, p	articularly aquatic orgar	nisms.
TIONS				
 5 	laws and regulations. state requirements. V public sewers or land licensed professional	. Local regulation /erify local and st ffills. Do not dum	s may be more stringer ate regulations before o p into any body of wate	nt than national or discharging into r. Contact a
ΓΙΟΝ				
	• •			
ļ	e e			
	Not dangerous goods	S.		
l			exempt from listing.	
Г	ION	laws and regulations state requirements. A public sewers or land licensed professiona disposal. ION Not dangerous good Not dangerous good	laws and regulations. Local regulation state requirements. Verify local and st public sewers or landfills. Do not dum licensed professional waste disposal s disposal. TON Not dangerous goods. Not dangerous goods. Not dangerous goods.	Not dangerous goods. Not dangerous goods. Not dangerous goods.

	Canada (DSL / NDSL)	All ingredients are on the inventory or exempt from listing.
	Europe	In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015. In accordance with Regulation (EC) No 1272/2008 - classification, labelling and packaging of substances and mixtures (CLP)
	SARA 302 Components	Sulfuric Acid (Stop Solution): CAS 7664-93-9
	SARA 313 Components	Sulfuric Acid (Stop Solution): Concentration <3%
	SARA 311/312 Hazards	Sulfuric Acid (Stop Solution): Health hazard - Skin corrosion or Irritation Health hazard - Serious eye damage or eye irritation
	California Prop. 65 Components	Sulfuric Acid (Stop Solution): WARNING: This product contains a chemical known to the State of California to cause cancer.
16.	OTHER INFORMATION	
	Disclaimer	The above information was obtained from sources available at the time of revision and believed to be accurate and reliable. The information included is not intended to be all inclusive and should only be used as a guide. RayBiotech shall not be held liable for any damage resulting from use, handling, or contact with the above product.
	Last Revised	June 14, 2021

This product is for research use only.



2021 RayBiotech, Inc.